Author Index

A

Aaronson, S.A. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.

Abraham, K.M. *See* Levin, Abraham, Anderson, Forbush, and Perlmutter.

Abraham, L.J. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.

Abrignani, S. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.

Ackerly, M. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen, Levine, and Anderson.

Acton, D. *See* Domen, van der Lugt, Acton, Laird, Linders, and Berns.

Adams, D.H. *See* Sarin, Adams, and Henkart.

Adelsberger, J. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.

Adorini, L. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.

— *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.

Agnello, V. *See* Knight, Agnello, Bonagura, Barnes, Panka, and Zhang.

Aguet, M. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.

Ahearn, J.M. *See* Matsumoto, Martin, Carter, Klickstein, Ahearn, and Fearon.

Ahmann, G. *See* Billadeau, Ahmann, Greipp, and Van Ness.

Ahmed, A.R., Yunis, J.J., Marcus-Bagley, D., Yunis, E.J., Salazar, M., Katz, A.J., Awdeh, Z., and Alper, C.A. Major histocompatibility complex susceptibility genes for dermatitis herpetiformis compared with those for gluten-sensitive enteropathy. 2067.

Aiba, Y.-i. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.

Akbar, A.N., Borthwick, N., Salmon, M., Gombert, W., Bofill, M., Shamsadeen, N., Pilling, D., Pett, S., Grundy, J.E., and Janossy, G. The significance of low bcl-2 expression by CD45RO T cells in normal individuals and patients with acute viral infections. The role of apoptosis in T cell memory. 427.

Albina, J.E. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.

Alderson, M.R., Armitage, R.J., Maraskovsky, E., Tough, T.W., Roux, E., Schooley, K., Ramsdell, F., and Lynch, D.H. Fas transduces activation signals in normal human T lymphocytes. 2231.

—, Armitage, R.J., Tough, T.W., Strockbine, L., Fanslow, W.C., and Spriggs, M.K. CD40 expression by human monocytes: regulation by cytokines and activation of monocytes by the ligand for CD40. 669.

Alderuccio, F., Toh, B.-H., Tan, S.-S., Gleeson, P.A., and van Driel, I.R. An autoimmune disease with multiple molecular targets abrogated by the transgenic expression of a single autoantigen in the thymus. 419.

Aldrich, C.J. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.

Alexander, H.R. *See* Block, Berg, McNamara, Norton, Fraker, and Alexander.

Alitalo, K. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.

Alkan, S. *See* Brinkmann, Geiger, Alkan, and Heusser.

Allen, J.B. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.

Allison, J.P. *See* Leclercq, Plum, Nandi, De Smedt, and Allison.

Alper, C.A. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.

Alpert, A.R. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.

Anderson, M.S., Swier, K., Arneson, L., and Miller, J. Enhanced antigen presentation in the absence of the invariant chain endosomal localization signal. 1959.

Anderson, P. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen, Levine, and Anderson.

Anderson, S.J. *See* Levin, Abraham, Anderson, Forbush, and Perlmutter.

Andjelić, S., Jain, N., and Nikolić-Žugić, J. Immature thymocytes become sensitive to calcium-mediated apoptosis with the onset of CD8, CD4, and the T cell receptor expression: a role for *bcl-2*? 1745.

Ando, K., Moriyama, T., Guidotti, L.G., Wirth, S., Schreiber, R.D., Schlicht, H.J., Huang, S.-n., and Chisari, F.V. Mechanisms of class I restricted immunopathology. A transgenic mouse model of fulminant hepatitis. 1541.

Anichini, A. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.

Appasamy, P.M., Kenniston, T.W., Jr., Weng, Y., Holt, E.C., Kost, J., and Chambers, W.H. Interleukin 7-induced expression of specific T cell receptor γ variable region genes in murine fetal liver cultures. 2201.

Apple, R. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.

Aprelikova, O. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.

Araki, K. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.

Argon, Y. *See* Burkhardt, Wiebel, Hester, and Argon.

Arlinghaus, R.B. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.

Armbrust, T., Schwögler, S., Zöhrens, G., and Ramadori, G. C1 esterase inhibitor gene expression in rat Kupffer cells, peritoneal macrophages and blood monocytes: modulation by interferon γ. 373.

Armitage, R.J. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.

— *See* Alderson, Armitage, Tough, Strockbine, Fanslow, and Spriggs.

Arneson, L. *See* Anderson, Swier, Arneson, and Miller.

Aruffo, A. *See* Foy, Shepherd, Durie, Aruffo, Ledbetter, and Noelle.

— *See* Nonoyama, Hollenbaugh, Aruffo, Ledbetter, and Ochs.

— *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.

Ashman, L.K. *See* Matos, Schnier, Beecher, Ashman, Williams, and Caligiuri.

Aste-Amezaga, M. *See* D'Andrea, Aste-Amezaga, Valiante, Ma, Kubin, and Trinchieri.

Auguglairo, R. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.

Augustin, A. *See* Rajasekar, Sirr, McCarty, Sim, and Augustin.

— *See* Sim and Augustin.

Austoni, M. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Austyn, J.M. *See* Reis e Sousa, Stahl, and Austyn.

Aversa, G., Punnonen, J., Cocks, B.G., Malefyt, R.W., Vega, F., Jr., Zurawski, S.M., Zurawski, G., and de Vries, J.E. An interleukin 4 (IL-4) mutant protein inhibits both IL-4 or IL-13-induced human immunoglobulin G4 (IgG4) and IgE synthesis and B cell proliferation: support for a common component shared by IL-4 and IL-13 receptors. 2213.

Awdeh, Z. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.

B

Bae, Y.M. *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.

Baggers, J. *See* Bhardwaj, Young, Nisanian, Baggers, and Steinman.

Balk, S.P. *See* Panja, Blumberg, Balk, and Mayer.

— *See* Porcelli, Yockey, Brenner, and Balk.

Banchereau, J. *See* Fluckiger, Garrone, Durand, Galizzi, and Banchereau.

— *See* Saeland, Duvert, Moreau, and Banchereau.

Bannan, J. *See* Poon-King, Bannan, Viteri, Cu, and Zabriskie.
Bansal, G.P. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Barbaresi, M. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Barbieri, D. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Barbour, A.G. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Bárcena, A. *See* Galy, Verma, Bárcena, and Spits.
Bargatze, R.F., and Butcher, E.C. Rapid G protein–regulated activation event involved in lymphocyte binding to high endothelial venules. 367.
Barnes, J.L. *See* Knight, Agnello, Bonagura, Barnes, Panka, and Zhang.
Baroni, C. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.
Barrett, L. *See* Van Voorhis, Barrett, Koelling, and Farr.
Barthold, S.W. *See* Telford, Fikrig, Barthold, Brunet, Spielman, and Flavell.
Baseler, M. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Bassi, C. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.
Bata-Csorgo, Zs., Hammerberg, C., Voorhees, J.J., and Cooper, K.D. Flow cytometric identification of proliferative subpopulations within normal human epidermis and the localization of the primary hyperproliferative population in psoriasis. 1271.
Bates, D. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.
Beecher, M.S. *See* Matos, Schnier, Beecher, Ashman, Williams, and Caligiuri.
Beldjord, C. *See* Beldjord, Beldjord, Macintyre, Even, and Sigaux. 121.
Beldjord, K., Beldjord, C., Macintyre, E., Even, P., and Sigaux, F. Peripheral selection of Vδ1$^+$ cells with restricted T cell receptor δ gene junctional repertoire in the peripheral blood of healthy donors. 121.
Bensussan, A. *See* Maïza, Leca, Mansur, Schiavon, Boumsell, and Bensussan.
Benveniste, P. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.
Berg, M. *See* Block, Berg, McNamara, Norton, Fraker, and Alexander.
Berns, A. *See* Domen, van der Lugt, Acton, Laird, Linders, and Berns.
Bette, M., Schäfer, M.K.-H., van Rooijen, N., Weihe, E., and Fleischer, B. Distribution and kinetics of superantigen-induced cytokine gene expression in mouse spleen. 1531.
Bhakdi, S. *See* Suttorp, Fuhrmann, Tannert-Otto, Grimminger, and Bhakdi.
Bhardwaj, N., Young, J.W., Nisanian, A.J., Baggers, J., and Steinman, R.M. Small amounts of superantigen, when presented on dendritic cells, are sufficient to initiate T cell responses. 633.
— *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.
Bieber, T. *See* Wollenberg, de la Salle, Hanau, Liu, and Bieber.
Bierer, B.E. *See* Hahn and Bierer.
Billadeau, D., Ahmann, G., Greipp, P., and Van Ness, B. The bone marrow of multiple myeloma patients contains B cell populations at different stages of differentiation that are clonally related to the malignant plasma cell. 1023.
Bilzer, T. *See* Planz, Bilzer, Sobbe, and Stitz.
Bismuth, G. *See* Hubert, Debré, Boumsell, and Bismuth.
Bix, M., Coles, M., and Raulet, D. Positive selection of Vβ8$^+$CD4$^-$8$^-$ thymocytes by class I molecules expressed by hematopoietic cells. 901.
Bixler, S.A. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.
Blacher, R. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.
Blankenstein, T. *See* Qin, Krüger-Krasagakes, Kunzendorf, Hock, Diamantstein, and Blankenstein.
Block, M.I., Berg, M., McNamara, M.J., Norton, J.A., Fraker, D.L., and Alexander, H.R. Passive immunization of mice against D factor blocks lethality and cytokine release during endotoxemia. 1085.
Blom, M. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.
Bloom, B.R. *See* Flynn, Chan, Triebold, Dalton, Stewart, and Bloom.
Blumberg, R.S. *See* Panja, Blumberg, Balk, and Mayer.
Boccadoro, M. *See* Corradini, Boccadoro, Voena, and Pileri.
Boersma, W.J.A. *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.
Bofill, M. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Bogdan, C. *See* Vodovotz, Bogdan, Paik, Xie, and Nathan.
Boiani, N.E. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.
Bolen, J.B. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.
Bolling, S.F. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.
Bona, C.A. *See* Brumeanu, Swiggard, Steinman, Bona, and Zaghouani.
Bonagura, V. *See* Knight, Agnello, Bonagura, Barnes, Panka, and Zhang.
Bonati, A. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.
Bonino, F. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.
Bonora, S. *See* Cassatella, Meda, Bonora, Ceska, and Constantin.
Bonyhadi, M. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Boon, T. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Boone, E. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Borgeat, P. *See* Surette, Palmantier, Gosselin, and Borgeat.
Borriello, F. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Borthwick, N. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Bosland, M. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.
Bosma, M.J. *See* Kotloff, Bosma, and Ruetsch.
Bottazzo, G. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.
Bottino, C. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Boumpas, D.T. *See* Paliogianni, Kincaid, and Boumpas.
Boumsell, L. *See* Hubert, Debré, Boumsell, and Bismuth.
— *See* Maïza, Leca, Mansur, Schiavon, Boumsell, and Bensussan.
Boussiotis, V.A., Freeman, G.J., Gray, G., Gribben, J., and Nadler, L.M. B7 but not intercellular adhesion molecule-1 costimulation prevents the induction of human alloantigen-specific tolerance. 1753.
Bowers, F.S. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.
Boyd, L.F. *See* Corr, Boyd, Padlan, and Margulies.
Boymel, J. *See* Marrack, Ignatowicz, Kappler, Boymel, and Freed.
Braciale, T.J. *See* Graham, Dalton, Giltinan, Braciale, Stewart, and Braciale.
Braciale, V.L. *See* Graham, Dalton, Giltinan, Braciale, Stewart, and Braciale.
Braddy, S. *See* Morrissey, Charrier, Braddy, Liggitt, and Watson.
Breban, M., Hammer, R.E., Richardson, J.H., and Taurog, J.D. Transfer of the inflammatory disease of HLA-B27 transgenic rats by bone marrow engraftment. 1607.
Brenner, M.B. *See* Porcelli, Yockey, Brenner, and Balk.
Brichard, V., Van Pel, A., Wölfel, T., Wölfel, C., De Plaen, E., Lethé, B., Coulie, P., and Boon, T. The tyrosinase gene codes for an antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 melanomas. 489.
Brinkmann, V., Geiger, T., Alkan, S., and Heusser, C.H. Interferon α increases the frequency of interferon γ-producing human CD4$^+$ T cells. 1655.
Brooks, J.M., Murray, R.J., Thomas, W.A., Kurilla, M.G., and Rickinson, A.B. Different HLA-B27 subtypes present the same immunodominant Epstein-Barr virus peptide. 879.
Brown, E.J. *See* Zhou and Brown.
Broxmeyer, H.E. *See* Lu, Xiao, Clapp, Li, and Broxmeyer.
— *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.

Brumeanu, T.D., Swiggard, W.J., Steinman, R.M., Bona, C.A., and Zaghouani, H. Efficient loading of identical viral peptide onto class II molecules by antigenized immunoglobulin and influenza virus. 1795.

Brunda, M.J., Luistro, L., Warrier, R.R., Wright, R.B., Hubbard, B.R., Murphy, M., Wolf, S.F., and Gately, M.K. Antitumor and antimetastatic activity of interleukin 12 against murine tumors. 1223.

Brunet, L.R. *See* Telford, Fikrig, Barthold, Brunet, Spielman, and Flavell.

Brunetto, M.R. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.

Buck, J., Grün, F., Derguini, F., Chen, Y., Kimura, S., Noy, N., and Hämmerling, U. Anhydroretinol: a naturally occurring inhibitor of lymphocyte physiology. 675.

— *See* Eppinger, Buck, and Hämmerling.

Buell, R.D. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.

Burdick, M.D. *See* Kasama, Strieter, Standiford, Burdick, and Kunkel.

Burkhardt, A.L. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.

Burkhardt, J.K., Wiebel, F.A., Hester, S., and Argon, Y. The giant organelles in *Beige* and Chediak-Higashi fibroblasts are derived from late endosomes and mature lysosomes. 1845.

Burlein, J.E. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.

Burnette, W.N. *See* Rozdzinski, Burnette, Jones, Mar, and Tuomanen.

Burrows, P.D. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.

Busch, R. *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.

Butcher, E.C. *See* Bargatze and Butcher.

Butler, M.H., Solimena, M., Dirkx, R., Jr., Hayday, A., and De Camilli, P. Identification of a dominant epitope of glutamic acid decarboxylase (GAD-65) recognized by autoantibodies in Stiff-Man syndrome. 2097.

Byres, L.C. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.

C

Calabretta, B. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.

— *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.

Caligiuri, M.A. *See* Matos, Schnier, Beecher, Ashman, Williams, and Caligiuri.

Cameron, P.U. *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.

Camp, R.L., Scheynius, A., Johansson, C., and Puré, E. CD44 is necessary for optimal contact allergic responses but is not required for normal leukocyte extravasation. 497.

Campos-Torres, J. *See* Levinson, Campos-Torres, and Leder.

Cantrell, D. *See* Izquierdo, Leevers, Marshall, and Cantrell.

— *See* Woodrow, Clipstone, and Cantrell.

Capra, J.D. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.

Caput, D. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.

Carpenter, C.B. *See* Khoury, Sayegh, Hancock, Gallon, Carpenter, and Weiner.

Carro, J. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.

Carsetti, R. *See* Levelt, Carsetti, and Eichmann.

Carter, R.H. *See* Matsumoto, Martin, Carter, Klickstein, Ahearn, and Fearon.

Cartlidge, N. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Cassatella, M.A., Meda, L., Bonora, S., Ceska, M., and Constantin, G. Interleukin 10 (IL-10) inhibits the release of proinflammatory cytokines from human polymorphonuclear leukocytes. Evidence for an autocrine role of tumor necrosis factor and IL-1β in mediating the production of IL-8 triggered by lipopolysaccharide. 2207.

Castelli, C. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.

Celler, J. *See* Pennycook, Chang, Celler, Phillips, and Wu.

Censini, S. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.

Cepeda, R. *See* Pucillo, Cepeda, and Hodes.

Ceska, M. *See* Cassatella, Meda, Bonora, Ceska, and Constantin.

Chambers, T.J. *See* Fuller, Owens, Jagger, Wilson, Moss, and Chambers.

Chambers, W.H. *See* Appasamy, Kenniston, Weng, Holt, Kost, and Chambers.

Chan, E.K.L. *See* Fritzler, Hamel, Ochs, and Chan.

Chan, J. *See* Flynn, Chan, Triebold, Dalton, Stewart, and Bloom.

Chang, Y. *See* Pennycook, Chang, Celler, Phillips, and Wu.

Charleson, S. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.

Charrier, K. *See* Morrissey, Charrier, Braddy, Liggitt, and Watson.

Chelen, C.J. *See* Secrist, Chelen, Wen, Marshall, and Umetsu.

Chen, Y. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.

Cheroutre, H. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.

Cheung, R.K. *See* Miyazaki, Cheung, and Dosch.

Chicz, R.M., Urban, R.G., Gorga, J.C., Vignali, D.A.A., Lane, W.S., and Strominger, J.L. Specificity and promiscuity among naturally processed peptides bound to HLA-DR alleles. 27.

Chien, Y.-h. *See* Ehrich, Devaux, Rock, Jorgensen, Davis, and Chien.

Chisari, F.V. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.

Choi, Y. *See* Yazdanbakhsh, Park, Winslow, and Choi.

Christiansen, F.T., Witt, C.S., Ciccone, E., Townend, D., Pende, D., Viale, D., Abraham, L.J., Dawkins, R.L., and Moretta, L. Human natural killer (NK) alloreactivity and its association with the major histocompatibility complex: ancestral haplotypes encode particular NK-defined haplotypes. 1033.

Chu, C.C., Max, E.E., and Paul, W.E. DNA rearrangement can account for in vitro switching to IgG1. 1381.

— *See* Mandler, Chu, Paul, Max, and Snapper.

Chu, J.-L., Drappa, J., Parnassa, A., and Elkon, K.B. The defect in *Fas* mRNA expression in MRL/*lpr* mice is associated with insertion of the retrotransposon, *ETn*. 723.

Ciccone, E. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.

— *See* Malnati, Lusso, Ciccone, Moretta, Moretta, and Long.

— *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.

Citro, G. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.

Claassen, E. *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.

Clapp, D.W. *See* Lu, Xiao, Clapp, Li, and Broxmeyer.

Clare-Salzler, M. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.

Clark, S.C. *See* Hawley, Fong, Ngan, de Lanux, Clark, and Hawley.

Cleland, L.G. *See* James, Gibson, Neumann, and Cleland.

Clipstone, N.A. *See* Woodrow, Clipstone, and Cantrell.

Cochrane, C.G. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.

Cocks, B.G. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.

Cofiell, R. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Coles, M. *See* Bix, Coles, and Raulet.

Collin, M. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.

Collins, M.K.L. *See* Perkins, Marvel, and Collins.

Colombo, M.P. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.

Colston, M.J. *See* Lukacs, Lowrie, Stokes, and Colston.

Constantin, G. *See* Cassatella, Meda, Bonora, Ceska, and Constantin.

Cooper, A.M., Dalton, D.K., Stewart, T.A., Griffin, J.P., Russell, D.G., and Orme, I.M. Disseminated tuberculosis in interferon γ gene-disrupted mice. 2243.

Cooper, K.D. *See* Bata-Csorgo, Hammerberg, Voorhees, and Cooper.
Cooper, S. *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.
Corr, M., Boyd, L.F., Padlan, E.A., and Margulies, D.H. H-2D^d exploits a four residue peptide binding motif. 1877.
Corradini, P., Boccadoro, M., Voena, C., and Pileri, A. Evidence for a bone marrow B cell transcribing malignant plasma cell VDJ joined to Cμ sequence in immunoglobulin (IgG)- and IgA-secreting multiple myelomas. 1091.
Costa, T. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.
Coulie, P. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Cowherd, R. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.
Coyne, K.E. *See* Nowicki, Hart, Coyne, Lublin, and Nowicki.
Crispe, I.N. *See* Petrie, Livak, Schatz, Strasser, Crispe, and Shortman.
Cross, A.H. *See* Lin, Lin, Tilton, and Cross.
Cu, G. *See* Poon-King, Bannan, Viteri, Cu, and Zabriskie.
Cunningham, P. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
Curnutte, J.T. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.
Cyopick, P. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Cyster, J.G. *See* Somoza, Driscoll, Cyster, and Williams.

D

Dalton, D.K. *See* Cooper, Dalton, Stewart, Griffin, Russell, and Orme.
— *See* Flynn, Chan, Triebold, Dalton, Stewart, and Bloom.
— *See* Graham, Dalton, Giltinan, Braciale, Stewart, and Braciale.
D'Andrea, A., Aste-Amezaga, M., Valiante, N.M., Ma, X., Kubin, M., and Trinchieri, G. Interleukin 10 (IL-10) inhibits human lymphocyte interferon γ-production by suppressing natural killer cell stimulatory factor/IL-12 synthesis in accessory cells. 1041.
Danska, J.S. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
da Silva, A.J., Janssen, O., and Rudd, C.E. T cell receptor ζ/CD3-p59$^{fyn(T)}$-associated p120/130 binds to the SH2 domain of p59$^{fyn(T)}$. 2107.
Davis, M.M. *See* Ehrich, Devaux, Rock, Jorgensen, Davis, and Chien.
Dawkins, R.L. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
Debré, P. *See* Hubert, Debré, Boumsell, and Bismuth.
De Camilli, P., Thomas, A., Cofiell, R., Folli, F., Lichte, B., Piccolo, G., Meinck, H.-M., Austoni, M., Fassetta, G., Bottazzo, G., Bates, D., Cartlidge, N., Solimena, M., and Kilimann, M.W. The synaptic vesicle-associated protein amphiphysin is the 128-kD autoantigen of Stiff-Man syndrome with breast cancer. 2219.
— *See* Butler, Solimena, Dirkx, Hayday, and De Camilli.
DeFrees, S. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
de la Morena, M. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.
de Lanux, V.M. *See* Hawley, Fong, Ngan, de Lanux, Clark, and Hawley.
DeLarato, N.H. *See* Podolin, Pressey, DeLarato, Fischer, Peterson, and Wicker.
de la Salle, H. *See* Wollenberg, de la Salle, Hanau, Liu, and Bieber.
Delovitch, T.L. *See* Lazarus, Kawauchi, Rapoport, and Delovitch.
— *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Deng, H., Apple, R., Clare-Salzler, M., Trembleau, S., Mathis, D., Adorini, L., and Sercarz, E. Determinant capture as a possible mechanism of protection afforded by major histocompatibility complex class II molecules in autoimmune disease. 1675.
Deng, X. *See* Muller, Weigl, Deng, and Phillips.
Denkers, E.Y., Gazzinelli, R.T., Martin, D., and Sher, A. Emergence of NK1.1$^+$ cells as effectors of IFN-γ dependent immunity to *Toxoplasma gondii* in MHC class I-deficient mice. 1465.
De Plaen, E. *See* Brichard, Van Pel, Wölfei, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Derguini, F. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.
Desbarats, J., and Lapp, W.S. Thymic selection and thymic major histocompatibility complex class II expression are abnormal in mice undergoing graft-versus-host reactions. 805.
De Smedt, M. *See* Leclercq, Plum, Nandi, De Smedt, and Allison.
Devaux, B. *See* Ehrich, Devaux, Rock, Jorgensen, Davis, and Chien.
de Vries, J.E. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.
Diamantstein, T. *See* Qin, Krüger-Krasagakes, Kunzendorf, Hock, Diamantstein, and Blankenstein.
Dinarello, C.A. *See* Tilg, Vannier, Vachino, Dinarello, and Mier.
Dinauer, M.C. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.
Dirkx, R., Jr. *See* Butler, Solimena, Dirkx, Hayday, and De Camilli.
D'limi, S. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Dobbelaere, D.A.E. *See* Eichhorn, Prospero, Heussler, and Dobbelaere.
Doglio, L. *See* Roth, Doglio, Manz, Kim, Lo, and Storb.
Domen, J., van der Lugt, N.M.T., Acton, D., Laird, P.W., Linders, K., and Berns, A. *Pim*-1 levels determine the size of early B lymphoid compartments in bone marrow. 1665.
Dosch, H.-M. *See* Miyazaki, Cheung, and Dosch.
Doyle, A.G. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.
Dragowska, W. *See* Lansdorp, Dragowska, and Mayani.
Drappa, J. *See* Chu, Drappa, Parnassa, and Elkon.
Drexler, J. *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.
Driscoll, P.C. *See* Somoza, Driscoll, Cyster, and Williams.
Durand, I. *See* Fluckiger, Garrone, Durand, Galizzi, and Banchereau.
Durie, F.H. *See* Foy, Shepherd, Durie, Aruffo, Ledbetter, and Noelle.
Durum, S.K. *See* Murphy, Durum, and Longo.
Duvert, V. *See* Saeland, Duvert, Moreau, and Banchereau.

E

Eaton, J.W. *See* Tang and Eaton.
Ehrich, E.W., Devaux, B., Rock, E.P., Jorgensen, J.L., Davis, M.M., and Chien, Y.-h. T cell receptor interaction with peptide/major histocompatibility complex (MHC) and superantigen/MHC ligands is dominated by antigen. 713.
Eichhorn, M., Prospero, T.D., Heussler, V.T., and Dobbelaere, D.A.E. Antibodies against major histocompatibility complex class II antigens directly inhibit the growth of T cells infected with *Theileria parva* without affecting their state of activation. 769.
Eichmann, K. *See* Levelt, Carsetti, and Eichmann.
Elias, C.G. *See* Loss, Elias, Fields, Ribaudo, McKisic, and Sant.
Elices, M.J. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.
Elkon, K.B. *See* Chu, Drappa, Parnassa, and Elkon.
Elson, C.O. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.
Emerson, S.G. *See* Gottschalk, Giannola, and Emerson.
Engel, J.D. *See* Landry, Engel, and Sen.
English, B.K., Ihle, J.N., Myracle, A., and Yi, T. *Hck* tyrosine kinase activity modulates tumor necrosis factor production by murine macrophages. 1017.
Eppinger, T.M., Buck, J., and Hämmerling, U. Growth control or terminal differentiation: endogenous production and differential activities of vitamin A metabolites in HL-60 cells. 1995.
Esch, F. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.
Eshhar, Z. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.
Etheir, D. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.
Evans, J.F. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.
Even, P. *See* Beldjord, Beldjord, Macintyre, Even, and Sigaux.

F

Fahey, T., III. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.

Fanslow, W.C. *See* Alderson, Armitage, Tough, Strockbine, Fanslow, and Spriggs.

Farr, A.G. *See* Van Voorhis, Barrett, Koelling, and Farr.

Fassetta, G. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Fauci, A.S. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.

Fausa, O. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.

Fearon, D.T. *See* Matsumoto, Martin, Carter, Klickstein, Ahearn, and Fearon.

Feeney, W. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.

Feng, G.-S. *See* Kozlowski, Mlinaric-Rascan, Feng, Shen, Pawson, and Siminovitch.

Fernández-Ruiz, E. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.

Ferrara, P. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.

Ferrari, S. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.

Fields, P.E. *See* Loss, Elias, Fields, Ribaudo, McKisic, and Sant.

Fikrig, E. *See* Telford, Fikrig, Barthold, Brunet, Spielman, and Flavell.

Finkelman, F.D. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.

Fischer, P.A. *See* Podolin, Pressey, DeLarato, Fischer, Peterson, and Wicker.

Flavell, R.A. *See* Telford, Fikrig, Barthold, Brunet, Spielman, and Flavell.

Fleischer, B. *See* Bette, Schäfer, van Rooijen, Weihe, and Fleischer.

Fluckiger, A.-C., Garrone, P., Durand, I., Galizzi, J.-P., and Banchereau, J. Interleukin 10 (IL-10) upregulates functional high affinity IL-2 receptors on normal and leukemic B lymphocytes. 1473.

Flynn, J.L., Chan, J., Triebold, K.J., Dalton, D.K., Stewart, T.A., and Bloom, B.R. An essential role for interferon γ in resistance to *Mycobacterium tuberculosis* infection. 2249.

Folli, F. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Fong, A.Z.C. *See* Hawley, Fong, Ngan, de Lanux, Clark, and Hawley.

Fontana, A. *See* Frei, Nadal, Pfister, and Fontana.

Forbush, K.A. *See* Levin, Abraham, Anderson, Forbush, and Perlmutter.

Forman, J. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.

Fossati, L. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.

Fox, C.H. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.

Foy, T.M., Shepherd, D.M., Durie, F.H., Aruffo, A., Ledbetter, J.A., and Noelle, R.J. In vivo CD40-gp39 interactions are essential for thymus-dependent humoral immunity. II. Prolonged suppression of the humoral immune response by an antibody to the ligand for CD40, gp39. 1567.

Fraker, D.L. *See* Block, Berg, McNamara, Norton, Fraker, and Alexander.

Franceschi, C. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.

Franke, R. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.

Freed, J.H. *See* Marrack, Ignatowicz, Kappler, Boymel, and Freed.

Freeman, G.J., Borriello, F., Hodes, R.J., Reiser, H., Gribben, J.G., Ng, J.W., Kim, J., Goldberg, J.M., Hathcock, K., Laszlo, G., Lombard, L.A., Wang, S., Gray, G.S., Nadler, L.M., and Sharpe, A.H. Murine B7-2, an alternative CTLA4 counter-receptor that costimulates T cell proliferation and interleukin 2 production. 2185.

— *See* Boussiotis, Freeman, Gray, Gribben, and Nadler.

Frei, K., Nadal, D., Pfister, H.-W., and Fontana, A. Listeria meningitis: identification of a cerebrospinal fluid inhibitor of macrophage listericidal function as interleukin 10. 1255.

Fritzler, M.J., Hamel, J.C., Ochs, R.L., and Chan, E.K.L. Molecular characterization of two human autoantigens: unique cDNAs encoding 95- and 160-kD proteins of a putative family in the Golgi complex. 49.

Fu, S.M. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.

Fuchs, S. *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.

Fuhrmann, M. *See* Suttorp, Fuhrmann, Tannert-Otto, Grimminger, and Bhakdi.

Fujihashi, K. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.

Fukuda, M. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.

Fuller, K., Owens, J.M., Jagger, C.J., Wilson, A., Moss, R., and Chambers, T.J. Macrophage colony-stimulating factor stimulates survival and chemotactic behavior in isolated osteoclasts. 1733.

G

Gachelin, G. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.

Gaeta, F.C.A. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.

Galizzi, J.-P. *See* Fluckiger, Garrone, Durand, Galizzi, and Banchereau.

Gallon, L. *See* Khoury, Sayegh, Hancock, Gallon, Carpenter, and Weiner.

Galy, A., Verma, S., Bárcena, A., and Spits, H. Precursors of $CD3^+CD4^+CD8^+$ cells in the human thymus are defined by expression of CD34. Delineation of early events in human thymic development. 391.

Garrone, P. *See* Fluckiger, Garrone, Durand, Galizzi, and Banchereau.

Gately, M.K. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.

Gazzinelli, R.T. *See* Denkers, Gazzinelli, Martin, and Sher.

Geiger, T. *See* Brinkmann, Geiger, Alkan, and Heusser.

Gewirtz, A. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.

Gezelter, S. *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.

Ghebrehiwet, B. *See* Peerschke, Reid, and Ghebrehiwet.

Giannola, D.M. *See* Gottschalk, Giannola, and Emerson.

Gibson, R.A. *See* James, Gibson, Neumann, and Cleland.

Gieni, R.S. *See* Yang, Gieni, Mosmann, and HayGlass.

Gifford, M. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.

Giltinan, D. *See* Graham, Dalton, Giltinan, Braciale, Stewart, and Braciale.

Girolomoni, G. *See* Paglia, Girolomoni, Robbiati, Granucci, and Ricciardi-Castagnoli.

Gleeson, P.A. *See* Alderuccio, Toh, Tan, Gleeson, and van Driel.

Glimcher, L.H. *See* Laufer, von Herrath, Grusby, Oldstone, and Glimcher.

— *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.

Goldberg, J.M. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.

Goldfeld, A.E., McCaffrey, P.G., Strominger, J.L., and Rao, A. Identification of a novel cyclosporin-sensitive element in the human tumor necrosis factor α gene promoter. 1365.

Goldschneider, I. *See* Zadeh and Goldschneider.

Gombert, W. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.

Good, R.A. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.

Gordon, D. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.

Gordon, S. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.

Gorga, J.C. *See* Chicz, Urban, Gorga, Vignali, Lane, and Strominger.

Gorka, J. *See* Smith, Myers, Gorka, and Hansen.

Gosselin, J. *See* Surette, Palmantier, Gosselin, and Borgeat.

Goté, L.R. *See* Hammond, Nagarkatti, Goté, Seth, Hassuneh, and Nagarkatti.
Gottlieb, A.B. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Gottschalk, L.R., Giannola, D.M., and Emerson, S.G. Molecular regulation of the human IL-3 gene: inducible T cell–restricted expression requires intact AP-1 and Elf-1 nuclear protein binding sites. 1681.
Grabstein, K.H., Waldschmidt, T.J., Finkelman, F.D., Hess, B.W., Alpert, A.R., Boiani, N.E., Namen, A.E., and Morrissey, P.J. Inhibition of murine B and T lymphopoiesis in vivo by an anti-interleukin 7 monoclonal antibody. 257.
Graham, G.J. *See* Maltman, Pragnell, and Graham.
Graham, M.B., Dalton, D.K., Giltinan, D., Braciale, V.L., Stewart, T.A., and Braciale, T.J. Response to influenza infection in mice with a targeted disruption in the interferon γ gene. 1725.
Grande, A. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Granucci, F. *See* Paglia, Girolomoni, Robbiati, Granucci, and Ricciardi-Castagnoli.
Grasseger, A. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.
Grawunder, U. *See* Rolink, Grawunder, Haasner, Strasser, and Melchers.
Gray, D. *See* Kosco-Vilbois, Gray, Scheidegger, and Julius.
Gray, G. *See* Boussiotis, Freeman, Gray, Gribben, and Nadler.
Gray, G.S. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Greipp, P. *See* Billadeau, Ahmann, Greipp, and Van Ness.
Gribben, J. *See* Boussiotis, Freeman, Gray, Gribben, and Nadler.
Gribben, J.G. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Griffin, J.P. *See* Cooper, Dalton, Stewart, Griffin, Russell, and Orme.
Grimminger, F. *See* Suttorp, Fuhrmann, Tannert-Otto, Grimminger, and Bhakdi.
Gross, G. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.
Grün, F. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.
Grundy, J.E. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Grusby, M.J. *See* Laufer, von Herrath, Grusby, Oldstone, and Glimcher.
Guidotti, L.G. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.
Gumperz, J. *See* Litwin, Gumperz, Parham, Phillips, and Lanier.
Guo, Y. *See* Wu, Guo, and Liu.
Gyotoku, J.-i. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.

H

Haasner, D. *See* Rolink, Grawunder, Haasner, Strasser, and Melchers.
Hague, B.F. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.
Hahn, W.C., and Bierer, B.E. Separable portions of the CD2 cytoplasmic domain involved in signaling and ligand avidity regulation. 1831.
Haire, R.N., Buell, R.D., Litman, R.T., Ohta, Y., Fu, S.M., Honjo, T., Matsuda, F., de la Morena, M., Carro, J., Good, R.A., and Litman, G.W. Diversification, not use, of the immunoglobulin V_H gene repertoire is restricted in DiGeorge syndrome. 825.
Halstensen, T.S. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.
Hamel, J.C. *See* Fritzler, Hamel, Ochs, and Chan.
Hammer, R.E. *See* Breban, Hammer, Richardson, and Taurog.
Hammerberg, C. *See* Bata-Csorgo, Hammerberg, Voorhees, and Cooper.
Hämmerling, G.J. *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.
— *See* Neefjes, Hämmerling, and Momburg.
Hämmerling, U. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.
— *See* Eppinger, Buck, and Hämmerling.
Hammond, D.M., Nagarkatti, P.S., Goté, L.R., Seth, A., Hassuneh, M.R., and Nagarkatti, M. Double-negative T cells from MRL-lpr/lpr mice mediate cytolytic activity when triggered through adhesion molecules and constitutively express perforin gene. 2225.
Hanau, D. *See* Wollenberg, de la Salle, Hanau, Liu, and Bieber.
Hancock, W.W. *See* Khoury, Sayegh, Hancock, Gallon, Carpenter, and Weiner.
Handa, S. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.
Hansen, T. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.
Hansen, T.H. *See* Smith, Myers, Gorka, and Hansen.
Hanson, M.S. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Hardy, R.R. *See* Kariv, Hardy, and Hayakawa.
— *See* Li, Hayakawa, and Hardy.
Harlan, J.M. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.
Hart, A. *See* Nowicki, Hart, Coyne, Lublin, and Nowicki.
Harty, M.W. *See* Sykes, Harty, Karlhofer, Pearson, Szot, and Yokoyama.
Hassuneh, M.R. *See* Hammond, Nagarkatti, Goté, Seth, Hassuneh, and Nagarkatti.
Hathcock, K. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Havell, E.A. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.
Hawes, A. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Hawley, R.G., Fong, A.Z.C., Ngan, B.Y., de Lanux, V.M., Clark, S.C., and Hawley, T.S. Progenitor cell hyperplasia with rare development of myeloid leukemia in interleukin 11 bone marrow chimeras. 1175.
Hawley, T.S. *See* Hawley, Fong, Ngan, de Lanux, Clark, and Hawley.
Hayakawa, K. *See* Kariv, Hardy, and Hayakawa.
— *See* Li, Hayakawa, and Hardy.
Hayday, A. *See* Butler, Solimena, Dirkx, Hayday, and De Camilli.
HayGlass, K.T. *See* Yang, Gieni, Mosmann, and HayGlass.
Haynes, J.D. *See* Kain, Orlandi, Haynes, Sim, and Lanar.
He, J. *See* Wu, Zhou, He, and Mountz.
Hearn, L. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.
Heath, W.R., and Miller, J.F.A.P. Expression of two α chains on the surface of T cells in T cell receptor transgenic mice. 1807.
Heibein, J.A. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.
Hemler, M.E. *See* Kassner and Hemler.
Henkart, P.A. *See* Sarin, Adams, and Henkart.
Herbein, G. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.
Herlyn, M. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.
Hess, B.W. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.
Hester, S. *See* Burkhardt, Wiebel, Hester, and Argon.
Heufler, C., Topar, G., Grasseger, A., Stanzl, U., Koch, F., Romani, N., Namen, A.E., and Schuler, G. Interleukin 7 is produced by murine and human keratinocytes. 1109.
Heusser, C.H. *See* Brinkmann, Geiger, Alkan, and Heusser.
Heussler, V.T. *See* Eichhorn, Prospero, Heussler, and Dobbelaere.
Hillson, J.L., Karr, N.S., Oppliger, I.R., Mannik, M., and Sasso, E.H. The structural basis of germline-encoded V_H3 immunoglobulin binding to staphylococcal protein A. 331.
Hinds-Frey, K.R., Nishikata, H., Litman, R.T., and Litman, G.W. Somatic variation precedes extensive diversification of germline sequences and combinatorial joining in the evolution of immunoglobulin heavy chain diversity. 815.
Hirata, M. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.
Hirsch, H.H., Nair, A.P.K., and Moroni, C. Suppressible and non-suppressible autocrine mast cell tumors are distinguished by inser-

tion of an endogenous retroviral element (IAP) into the interleukin 3 gene. 403.
Ho, I.-C. *See* Wang, Petryniak, Ho, Thompson, and Leiden.
Hochman, P.S. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.
Hock, H. *See* Qin, Krüger-Krasagakes, Kunzendorf, Hock, Diamantstein, and Blankenstein.
Hodes, R.J. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
— *See* Pucillo, Cepeda, and Hodes.
Hogarth, P.M. *See* Ierino, Powell, McKenzie, and Hogarth.
Holcombe, H. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.
Hollenbaugh, D. *See* Nonoyama, Hollenbaugh, Aruffo, Ledbetter, and Ochs.
Holt, E.C. *See* Appasamy, Kenniston, Weng, Holt, Kost, and Chambers.
Holt, P.G. *See* McMenamin and Holt.
Hongo, T. *See* Nisitani, Tsubata, Murakami, Okamoto, and Hongo.
Honjo, T. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.
Hora, D., Jr. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
Horii, Y. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.
Houghton, M. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.
Hoyne, G.F., O'Hehir, R.E., Wraith, D.C., Thomas, W.R., and Lamb, J.R. Inhibition of T cell and antibody responses to house dust mite allergen by inhalation of the dominant T cell epitope in naive and sensitized mice. 1783.
Huang, S. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.
Huang, S.-n. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.
Huang, X. *See* Wogensen, Huang, and Sarvetnick.
Huarte, J. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Hubbard, B.R. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Hubert, P., Debré, P., Boumsell, L., and Bismuth, G. Tyrosine phosphorylation and association with phospholipase Cγ-1 of the GAP-associated 62-kD protein after CD2 stimulation of Jurkat T cell. 1587.
Hwu, P., Shafer, G.E., Treisman, J., Schindler, D.G., Gross, G., Cowherd, R., Rosenberg, S.A., and Eshhar, Z. Lysis of ovarian cancer cells by human lymphocytes redirected with a chimeric gene composed of an antibody variable region and the Fc receptor γ chain. 361.

I

Ierino, F.L., Powell, M.S., McKenzie, I.F.C., and Hogarth, P.M. Recombinant soluble human FcγRII: production, characterization, and inhibition of the Arthus reaction. 1617.
Ignatowicz, L. *See* Marrack, Ignatowicz, Kappler, Boymel, and Freed.
Ihle, J.N. *See* English, Ihle, Myracle, and Yi.
Illei, P. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.
Imani, F., Horii, Y., Suthanthiran, M., Skolnik, E.Y., Makita, Z., Sharma, V., Sehajpal, P., and Vlassara, H. Advanced glycosylation endproduct-specific receptors on human and rat T-lymphocytes mediate synthesis of interferon γ; role in tissue remodeling. 2165.
Inaba, K., Inaba, M., Naito, M., and Steinman, R.M. Dendritic cell progenitors phagocytose particulates, including Bacillus Calmette-Guerin organisms, and sensitize mice to mycobacterial antigens in vivo. 479.
Inaba, M. *See* Inaba, Inaba, Naito, and Steinman.
Inagaki, F. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.
Iwamoto, M. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Izquierdo, M., Leevers, S.J., Marshall, C.J., and Cantrell, D. $p21^{ras}$ couples the T cell antigen receptor to extracellular signal-regulated kinase 2 in T lymphocytes. 1199.
Izui, S. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.

J

Jackson, R.J. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.
Jacob, J., Przylepa, J., Miller, C., and Kelsoe, G. In situ studies of the primary immune response to (4-hydroxy-3-nitrophenyl)acetyl. III. The kinetics of V region mutation and selection in germinal center B cells. 1293.
Jacobsen, F.W., Veiby, O.P., Skjønsberg, C., and Jacobsen, S.E.W. Novel role of interleukin 7 in myelopoiesis: stimulation of primitive murine hematopoietic progenitor cells. 1777.
Jacobsen, S.E.W., Veiby, O.P., and Smeland, E.B. Cytotoxic lymphocyte maturation factor (interleukin 12) is a synergistic growth factor for hematopoietic stem cells. 413.
— *See* Jacobsen, Veiby, Skjønsberg, and Jacobsen.
Jagger, C.J. *See* Fuller, Owens, Jagger, Wilson, Moss, and Chambers.
Jain, N. *See* Andjelić, Jain, and Nikolić-Žugić.
Jalkanen, S. *See* Salmi, Kalimo, and Jalkanen.
James, M.J., Gibson, R.A., Neumann, M.A., and Cleland, L.G. Effect of dietary supplementation with n-9 eicosatrienoic acid on leukotriene B_4 synthesis in rats: a novel approach to inhibition of eicosanoid synthesis. 2261.
James, W. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.
Janossy, G. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Janssen, O. *See* da Silva, Janssen, and Rudd.
Jaramillo, A. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Jefferson, J. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.
Johansson, C. *See* Camp, Scheynius, Johansson, and Puré.
Jones, T. *See* Rozdzinski, Burnette, Jones, Mar, and Tuomanen.
Jorgensen, J.L. *See* Ehrich, Devaux, Rock, Jorgensen, Davis, and Chien.
Julius, M. *See* Kosco-Vilbois, Gray, Scheidegger, and Julius.
— *See* Poussier, Teh, and Julius.
Justement, J.S. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Jutila, M.A. *See* Walcheck, Watts, and Jutila.

K

Kain, K.C., Orlandi, P.A., Haynes, J.D., Sim, B.K.L., and Lanar, D.E. Evidence for two-stage binding by the 175-kD erythrocyte binding antigen of *Plasmodium falciparum*. 1497.
Kaipainen, A., Korhonen, J., Pajusola, K., Aprelikova, O., Persico, M.G., Terman, B.I., and Alitalo, K. The related FLT4, FLT1, and KDR receptor tyrosine kinases show distinct expression patterns in human fetal endothelial cells. 2077.
Kalimo, K. *See* Salmi, Kalimo, and Jalkanen.
Kamijo, R., Le, J., Shapiro, D., Havell, E.A., Huang, S., Aguet, M., Bosland, M., and Vilček, J. Mice that lack the interferon-γ receptor have profoundly altered responses to infection with Bacillus Calmette-Guérin and subsequent challenge with lipopolysaccharide. 1435.
Kanakaraj, P. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Kaneshima, H. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Kappler, J.W. *See* Marrack, Ignatowicz, Kappler, Boymel, and Freed.
Karasavvas, N. *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.

Karasuyama, H., Rolink, A., and Melchers, F. A complex of glycoproteins is associated with V_{preB}/λ_5 surrogate light chain on the surface of μ heavy chain-negative early precursor B cell lines. 469.

Kariv, I., Hardy, R.R., and Hayakawa, K. Selective enrichment of major histocompatibility complex class II–specific autoreactive T cells in the thymic Thy0 subset: Correction. 765.

Karlhofer, F.M. *See* Sykes, Harty, Karlhofer, Pearson, Szot, and Yokoyama.

Karr, N.S. *See* Hillson, Karr, Oppliger, Mannik, and Sasso.

Kasama, T., Strieter, R.M., Standiford, T.J., Burdick, M.D., and Kunkel, S.L. Expression and regulation of human neutrophil-derived macrophage inflammatory protein 1α. 63.

— *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.

Kassner, P.D., and Hemler, M.E. Interchangeable α chain cytoplasmic domains play a positive role in control of cell adhesion mediated by VLA-4, a β_1 integrin. 649.

Katsura, Y. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.

— *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.

Katz, A.J. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.

Kawauchi, K. *See* Lazarus, Kawauchi, Rapoport, and Delovitch.

Keller, D.C. *See* Moritz, Keller, and Williams.

Kelsoe, G. *See* Jacob, Przylepa, Miller, and Kelsoe.

Kenniston, T.W., Jr. *See* Appasamy, Kenniston, Weng, Holt, Kost, and Chambers.

Khoury, S.J., Sayegh, M.H., Hancock, W.W., Gallon, L., Carpenter, C.B., and Weiner, H.L. Acquired tolerance to experimental autoimmune encephalomyelitis by intrathymic injection of myelin basic protein or its major encephalitogenic peptide. 559.

Kilimann, M.W. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Kim, J. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.

— *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.

Kim, J.Y. *See* Roth, Doglio, Manz, Kim, Lo, and Storb.

Kim, T.J. *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.

Kimura, S. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.

Kincade, P.W. *See* Medina, Smithson, and Kincade.

Kincaid, R.L. *See* Paliogianni, Kincaid, and Boumpas.

Kindler, V. *See* Matthes, Werner-Favre, Tang, Zhang, Kindler, and Zubler.

Kindt, T.J. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.

Kingston, G. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.

Kishihara, K. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.

Kitamura, F. *See* Tanaka, Kitamura, Nagasaka, Kuida, Suwa, and Miyasaka.

Kiyono, H. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.

Klausner, R.D. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.

Klickstein, L.B. *See* Matsumoto, Martin, Carter, Klickstein, Ahearn, and Fearon.

Knight, G.B., Agnello, V., Bonagura, V., Barnes, J.L., Panka, D.J., and Zhang, Q.-X. Human rheumatoid factor cross-idiotypes. IV. Studies on WA XId-positive IgM without rheumatoid factor activity provide evidence that the WA XId is not unique to rheumatoid factors and is distinct from the 17.109 and G6 XIds 1903.

Koch, F. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.

Koelling, R. *See* Van Voorhis, Barrett, Koelling, and Farr.

Koenig, S. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.

Koh, D.-R. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.

Kopeloff, I. *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.

Korhonen, J. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.

Kosco-Vilbois, M.H., Gray, D., Scheidegger, D., and Julius, M. Follicular dendritic cells help resting B cells to become effective antigen-presenting cells: induction of B7/BB1 and upregulation of major histocompatibility complex class II molecules. 2055.

Kost, J. *See* Appasamy, Kenniston, Weng, Holt, Kost, and Chambers.

Kotloff, D.B., Bosma, M.J., and Ruetsch, N.R. V(D)J recombination in peritoneal B cells of leaky scid mice. 1981.

Kovach, N.L. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.

Kozlowski, M., Mlinaric-Rascan, I., Feng, G.-S., Shen, R., Pawson, T., and Siminovitch, K.A. Expression and catalytic activity of the tyrosine phosphatase PTP1C is severely impaired in motheaten and viable motheaten mice. 2157.

Kraft, D.L., Weissman, I.L., and Waller, E.K. Differentiation of $CD3^-4^-8^-$ human fetal thymocytes in vivo: characterization of a $CD3^-4^+8^-$ intermediate. 265.

Kronenberg, M. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.

Krueger, J. *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.

Krueger, J.G. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.

Krüger-Krasagakes, S. *See* Qin, Krüger-Krasagakes, Kunzendorf, Hock, Diamantstein, and Blankenstein.

Ku, D.-H. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.

Kubin, M. *See* D'Andrea, Aste-Amezaga, Valiante, Ma, Kubin, and Trinchieri.

Kuida, K. *See* Tanaka, Kitamura, Nagasaka, Kuida, Suwa, and Miyasaka.

Kuijpers, T.W., Mul, E.P.J., Blom, M., Kovach, N.L., Gaeta, F.C.A., Tollefson, V., Elices, M.J., and Harlan, J.M. Freezing adhesion molecules in a state of high-avidity binding blocks eosinophil migration. 279.

Kumar, V., and Sercarz, E.E. The involvement of T cell receptor peptide–specific regulatory $CD4^+$ T cells in recovery from antigen-induced autoimmune disease. 909.

Kunkel, S.L. *See* Kasama, Strieter, Standiford, Burdick, and Kunkel.

Kunzendorf, U. *See* Qin, Krüger-Krasagakes, Kunzendorf, Hock, Diamantstein, and Blankenstein.

Kuo, G. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.

Kurilla, M.G. *See* Brooks, Murray, Thomas, Kurilla, and Rickinson.

Kwon, H.J. *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.

L

Laird, P.W. *See* Domen, van der Lugt, Acton, Laird, Linders, and Berns.

Lalor, P.A. *See* McHeyzer-Williams, McLean, Lalor, and Nossal.

Lamb, J.R. *See* Hoyne, O'Hehir, Wraith, Thomas, and Lamb.

Lanar, D.E. *See* Kain, Orlandi, Haynes, Sim, and Lanar.

Landry, D.B., Engel, J.D., and Sen, R. Functional GATA-3 binding sites within murine CD8α upstream regulatory sequences. 941.

Lane, W.S. *See* Chicz, Urban, Gorga, Vignali, Lane, and Strominger.

Lanier, L.L. *See* Litwin, Gumperz, Parham, Phillips, and Lanier.

— *See* Sánchez, Spits, Lanier, and Phillips.

Lansdorp, P.M., Dragowska, W., and Mayani, H. Ontogeny-related changes in proliferative potential of human hematopoietic cells. 787.

Lanzavecchia, A. *See* Watts and Lanzavecchia.

Lapp, W.S. *See* Desbarats and Lapp.

Larsen, R.D. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.

Laszlo, G. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.

Laufer, T.M., von Herrath, M.G., Grusby, M.J., Oldstone, M.B.A., and Glimcher, L.H. Autoimmune diabetes can be induced in transgenic major histocompatibility complex class II–deficient mice. 589.

Lazarus, A.H., Kawauchi, K., Rapoport, M.J., and Delovitch, T.L. Antigen-induced B lymphocyte activation involves the p21^{ras} and ras.GAP signaling pathway. 1765.
— *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Le, J. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.
LeBien, T.W. *See* Pauza, Rehmann, and LeBien.
Leca, G. *See* Maïza, Leca, Mansur, Schiavon, Boumsell, and Bensussan.
Leclercq, G., Plum, J., Nandi, D., De Smedt, M., and Allison, J.P. Intrathymic differentiation of Vγ3 T cells. 309.
Ledbetter, J.A. *See* Foy, Shepherd, Durie, Aruffo, Ledbetter, and Noelle.
— *See* Nonoyama, Hollenbaugh, Aruffo, Ledbetter, and Ochs.
— *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.
Leder, P. *See* Levinson, Campos-Torres, and Leder.
— *See* Luster and Leder.
Lederer, J.A. *See* St. Louis, Lederer, and Lichtman.
Lee, S.J. *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.
Lee, S.K. *See* Park, Bae, Kwon, Kim, Kim, Lee, and Lee.
Leevers, S.J. *See* Izquierdo, Leevers, Marshall, and Cantrell.
Leiden, J.M. *See* Wang, Petryniak, Ho, Thompson, and Leiden.
Leiter, E.H. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Lenardo, M.J. *See* Zúñiga-Pflücker, Schwartz, and Lenardo.
Lethé, B. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Levelt, C.N., Carsetti, R., and Eichmann, K. Regulation of thymocyte development through CD3. II. Expression of T cell receptor β CD3ε and maturation of the CD4$^+$8$^+$ stage are highly correlated in individual thymocytes. 1867.
Levin, S.D., Abraham, K.M., Anderson, S.J., Forbush, K.A., and Perlmutter, R.M. The protein tyrosine p56^{lck} regulates thymocyte development independently of its interaction with CD4 and CD8 coreceptors. 245. Correction. 1135.
Levine, H. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen, Levine, and Anderson.
Levinson, D.A., Campos-Torres, J., and Leder, P. Molecular characterization of transgene-induced immunodeficiency in *B-less* mice using a novel quantitative limiting dilution polymerase chain reaction method. 317.
Li, Y. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.
Li, Y.-S., Hayakawa, K., and Hardy, R.R. The regulated expression of B lineage associated genes during B cell differentiation in bone marrow and fetal liver. 951.
Li, Z.-H. *See* Lu, Xiao, Clapp, Li, and Broxmeyer.
Lichte, B. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.
Lichtman, A.H. *See* St. Louis, Lederer, and Lichtman.
Liggitt, D. *See* Morrissey, Charrier, Braddy, Liggitt, and Watson.
Lin, H., Bolling, S.F., Linsley, P.S., Wei, R.-Q., Gordon, D., Thompson, C.B., and Turka, L.A. Long-term acceptance of major histocompatibility complex mismatched cardiac allografts induced by CTLA4Ig plus donor-specific transfusion. 1801.
Lin, R.F., Lin, T.-S., Tilton, R.G., and Cross, A.H. Nitric oxide localized to spinal cords of mice with experimental allergic encephalomyelitis: an electron paramagnetic resonance study. 643.
Lin, T.-S. *See* Lin, Lin, Tilton, and Cross.
Linders, K. *See* Domen, van der Lugt, Acton, Laird, Linders, and Berns.
Linsley, P.S. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.
Litman, G.W. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.
— *See* Hinds-Frey, Nishikata, Litman, and Litman.
Litman, R.T. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman. 825.
— *See* Hinds-Frey, Nishikata, Litman, and Litman.
Litwin, V., Gumperz, J., Parham, P., Phillips, J.H., and Lanier, L.L. Specificity of HLA class I antigen recognition by human NK clones: evidence for clonal heterogeneity, protection by self and non-self alleles, and influence of the target cell type. 1321.
Liu, F.-T. *See* Wollenberg, de la Salle, Hanau, Liu, and Bieber.
Liu, Y. *See* Wu, Guo, and Liu.
Livak, F. *See* Petrie, Livak, Schatz, Strasser, Crispe, and Shortman.
Lo, D. *See* Roth, Doglio, Manz, Kim, Lo, and Storb.
Lombard, L.A. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Long, E.O. *See* Malnati, Lusso, Ciccone, Moretta, Moretta, and Long.
Longo, D.L. *See* Murphy, Durum, and Longo.
López-Cabrera, M., Santis, A.G., Fernández-Ruiz, E., Blacher, R., Esch, F., Sánchez-Mateos, P., and Sánchez-Madrid, F. Molecular cloning, expression, and chromosomal localization of the human earliest lymphocyte activation antigen AIM/CD69, a new member of the C-type animal lectin superfamily of signal-transmitting receptors. 537.
Loss, G.E., Jr., Elias, C.G., Fields, P.E., Ribaudo, R.K., McKisic, M., and Sant, A.J. Major histocompatibility complex class II–restricted presentation of an internally synthesized antigen displays cell-type variability and segregates from the exogenous class II and endogenous class I presentation pathways. 73.
Lowe, J.B. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
Lowrie, D.B. *See* Lukacs, Lowrie, Stokes, and Colston.
Lu, L., Xiao, M., Clapp, D.W., Li, Z.-H., and Broxmeyer, H.E. High efficiency retroviral mediated gene transduction into single isolated immature and replatable CD34^{3+} hematopoietic stem/progenitor cells from human umbilical cord blood. 2089.
Lublin, D.M. *See* Nowicki, Hart, Coyne, Lublin, and Nowicki.
Luistro, L. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Lukacs, K.V., Lowrie, D.B., Stokes, R.W., and Colston, M.J. Tumor cells transfected with a bacterial heat-shock gene lose tumorigenicity and induce protection against tumors. 343.
Lundin, K.E.A., Scott, H., Hansen, T., Paulsen, G., Halstensen, T.S., Fausa, O., Thorsby, E., and Sollid, L.M. Gliadin-specific, HLA-DQ (α1*0501,β1*0201) restricted T cells isolated from the small intestinal mucosa of celiac disease patients. 187.
Lusso, P. *See* Malnati, Lusso, Ciccone, Moretta, Moretta, and Long.
Luster, A.D., and Leder, P. IP-10, a -C-X-C- chemokine, elicits a potent thymus-dependent antitumor response in vivo. 1057.
Lynch, D.H. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.

M

Ma, X. *See* D'Andrea, Aste-Amezaga, Valiante, Ma, Kubin, and Trinchieri.
Maccalli, C. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.
MacIntyre, D.E. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
Macintyre, E. *See* Beldjord, Beldjord, Macintyre, Even, and Sigaux.
Madden, M.R. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Maemura, K. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
Mahajan, S. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.
Maïza, H., Leca, G., Mansur, I.-G., Schiavon, V., Boumsell, L., and Bensussan, A. A noval 80-kD cell surface structure identifies human circulating lymphocytes with natural killer activity. 1121.
Mak, T.W. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.
Makita, Z. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.
Malaguarnera, L. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.
Malefyt, R.W. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.
Malnati, M.S., Lusso, P., Ciccone, E., Moretta, A., Moretta, L., and Long, E.O. Recognition of virus-infected cells by natural killer cell clones is controlled by polymorphic target cell elements. 961.

Maltman, J., Pragnell, I.B., and Graham, G.J. Transforming growth factor β: is it a downregulator of stem cell inhibition by macrophage inflammatory protein 1α? 925.

Maly, F.A., Schuerer-Maly, C.C., Quilliam, L., Cochrane, C.G., Newburger, P.E., Curnutte, J.T., Gifford, M., and Dinauer, M.C. Restitution of superoxide generation in autosomal cytochrome-negative chronic granulomatous disease ($A22^0$ CGD)-derived B lymphocyte cell lines by transfection with $p22^{phox}$ cDNA. 2047.

Mandler, R., Chu, C.C., Paul, W.E., Max, E.E., and Snapper, C.M. Interleukin 5 induces Sμ-Sγ1 DNA rearrangement in B cells activated with dextran-anti-IgD antibodies and interleukin 4: a three component model for Ig class switching. 1577.

Manfredini, R., Grande, A., Tagliafico, E., Barbieri, D., Zucchini, P., Citro, G., Zupi, G., Franceschi, C., Torelli, U., and Ferrari, S. Inhibition of *c-fes* expression by an antisense oligomer causes apoptosis of HL60 cells induced to granulocytic differentiation. 381.

Mannik, M. *See* Hillson, Karr, Oppliger, Mannik, and Sasso.

Mansur, I.-G. *See* Maïza, Leca, Mansur, Schiavon, Boumsell, and Bensussan.

Manthey, C.L., Qureshi, N., Stütz, P.L., and Vogel, S.N. Lipopolysaccharide antagonists block taxol-induced signaling in murine macrophages. 695.

Manz, J.T. *See* Roth, Doglio, Manz, Kim, Lo, and Storb.

Mar, V. *See* Rozdzinski, Burnette, Jones, Mar, and Tuomanen.

Maraskovsky, E. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.

Marcus-Bagley, D. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.

Margulies, D.H. *See* Corr, Boyd, Padlan, and Margulies.

Marrack, P., Ignatowicz, L., Kappler, J.W., Boymel, J., and Freed, J.H. Comparison of peptides bound to spleen and thymus class II. 2173.

Marsh, M. *See* Pelchen-Matthews, Parsons, and Marsh.

Marshall, C.J. *See* Izquierdo, Leevers, Marshall, and Cantrell.

Marshall, J.D. *See* Secrist, Chelen, Wen, Marshall, and Umetsu.

Martin, D. *See* Denkers, Gazzinelli, Martin, and Sher.

Martin, D.R. *See* Matsumoto, Martin, Carter, Klickstein, Ahearn, and Fearon.

Martin, P.J. Donor CD8 cells prevent allogeneic marrow graft rejection in mice: potential implications for marrow transplantation in humans. 703.

Marvel, J. *See* Perkins, Marvel, and Collins.

Massa, P.T. Specific suppression of major histocompatibility complex class I and class II genes in astrocytes by brain-enriched gangliosides. 1357.

Mastracchio, A. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.

Mathis, D. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.

Mathwich, M. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.

Matos, M.E., Schnier, G.S., Beecher, M.S., Ashman, L.K., Williams, D.E., and Caligiuri, M.A. Expression of a functional c-*kit* receptor on a subset of natural killer cells. 1079.

Matsuda, F. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.

Matsumoto, A.K., Martin, D.R., Carter, R.H., Klickstein, L.B., Ahearn, J.M., and Fearon, D.T. Functional dissection of the CD21/CD19/TAPA-1/Leu-13 complex of B lymphocytes. 1407.

Matsuzaki, Y., Gyotoku, J.-i., Ogawa, M., Nishikawa, S.-i., Katsura, Y., Gachelin, G., and Nakauchi, H. Characterization of c-*kit* positive intrathymic stem cells that are restricted to lymphoid differentiation. 1283.

Matthes, T., Werner-Favre, C., Tang, H., Zhang, X., Kindler, V., and Zubler, R.H. Cytokine mRNA expression during an in vitro response of human B lymphocytes: kinetics of B cell tumor necrosis factor α, interleukin (IL)6, IL-10, and transforming growth factor β_1 mRNAs. 521.

Max, E.E. *See* Chu, Max, and Paul.

— *See* Mandler, Chu, Paul, Max, and Snapper.

Mayani, H. *See* Lansdorp, Dragowska, and Mayani.

Mayer, L. *See* Panja, Blumberg, Balk, and Mayer.

Mazda, O. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.

Mazzocchi, A. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.

McArthur, J.G., and Raulet, D.H. CD28-induced costimulation of T helper type 2 cells mediated by induction of responsiveness to interleukin 4. 1645.

McCaffrey, P.G. *See* Goldfeld, McCaffrey, Strominger, and Rao.

McCartney-Francis, N., Allen, J.B., Mizel, D.E., Albina, J.E., Xie, Q.-w., Nathan, C.F., and Wahl, S.M. Suppression of arthritis by an inhibitor of nitric oxide synthase. 749.

McCarty, M. *See* Rajasekar, Sirr, McCarty, Sim, and Augustin.

McCune, J.M. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.

McGhee, J.R. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.

McHeyzer-Williams, M.G., McLean, M.J., Lalor, P.A., and Nossal, G.J.V. Antigen-driven B cell differentiation in vivo. 295.

McKenzie, I.F.C. *See* Ierino, Powell, McKenzie, and Hogarth.

McKisic, M. *See* Loss, Elias, Fields, Ribaudo, McKisic, and Sant.

McLean, M.J. *See* McHeyzer-Williams, McLean, Lalor, and Nossal.

McMenamin, C., and Holt, P.G. The natural immune response to inhaled soluble protein antigens involves major histocompatibility complex (MHC) class I–restricted $CD8^+$ T cell-mediated but MHC class II–restricted $CD4^+$ T cell–dependent immune deviation resulting in selective suppression of immunoglobulin E production. 889.

McNamara, M.J. *See* Block, Berg, McNamara, Norton, Fraker, and Alexander.

Meda, L. *See* Cassatella, Meda, Bonora, Ceska, and Constantin.

Medina, K.L., Smithson, G., and Kincade, P.W. Suppression of B lymphopoeisis during normal pregnancy. 1507.

Meier, W. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.

Meinck, H.-M. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Melani, C. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.

Melchers, F. *See* Karasuyama, Rolink, and Melchers.

— *See* Rolink, Grawunder, Haasner, Strasser, and Melchers.

Merino, R., Iwamoto, M., Fossati, L., Muniesa, P., Araki, K., Takahashi, S., Huarte, J., Yamamura, K.-I., Vassalli, J.-D., and Izui, S. Prevention of systemic lupus erythematosus in autoimmune BXSB mice by a transgene encoding I-E α chain. 1189.

Meurer, R., Van Riper, G., Feeney, W., Cunningham, P., Hora, D., Jr., Springer, M.S., MacIntyre, D.E., and Rosen, H. Formation of eosinophilic and monocytic intradermal inflammatory sites in the dog by injection of human RANTES but not human monocyte chemoattractant protein 1, human macrophage inflammatory protein 1α, or human interleukin 8. 1913.

Mier, J.W. *See* Tilg, Vannier, Vachino, Dinarello, and Mier.

Miller, C. *See* Jacob, Przylepa, Miller, and Kelsoe.

Miller, G.T., Hochman, P.S., Meier, W., Tizard, R., Bixler, S.A., Rosa, M.D., and Wallner, B.P. Specific interaction of lymphocyte function-associated antigen 3 with CD2 can inhibit T cell responses. 211.

Miller, J. *See* Anderson, Swier, Arneson, and Miller.

Miller, J.F.A.P. *See* Heath and Miller.

Minty, A. *See* Montaner, Doyle, Collin, Herbein, Illei, James, Minty, Caput, Ferrara, and Gordon.

Minutello, M.A., Pileri, P., Unutmaz, D., Censini, S., Kuo, G., Houghton, M., Brunetto, M.R., Bonino, F., and Abrignani, S. Compartmentalization of T lymphocytes to the site of disease: intrahepatic $CD4^+$ T cells specific for the protein NS4 of hepatitis C virus in patients with chronic hepatitis C. 17.

Misulovin, Z. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.

Miyasaka, M. *See* Tanaka, Kitamura, Nagasaka, Kuida, Suwa, and Miyasaka.

Miyatake, T. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.

Miyazaki, I., Cheung, R.K., and Dosch, H.-M. Viral interleukin 10 is critical for the induction of B cell growth transformation by Epstein-Barr virus. 439.
Mizel, D.E. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.
Mlinaric-Rascan, I. *See* Kozlowski, Mlinaric-Rascan, Feng, Shen, Pawson, and Siminovitch.
Momburg, F., Fuchs, S., Drexler, J., Busch, R., Post, M., Hämmerling, G.J., and Adorini, L. Epitope-specific enhancement of antigen presentation by invariant chain. 1453.
— *See* Neefjes, Hämmerling, and Momburg.
Montaner, L.J., Doyle, A.G., Collin, M., Herbein, G., Illei, P., James, W., Minty, A., Caput, D., Ferrara, P., and Gordon, S. Interleukin 13 inhibits human immunodeficiency virus type 1 production in primary blood-derived human macrophages in vitro. 743.
Moreau, I. *See* Saeland, Duvert, Moreau, and Banchereau.
Morelli, L. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Moretta, A., Vitale, M., Bottino, C., Orengo, A.M., Morelli, L., Auguglairo, R., Barbaresi, M., Ciccone, E., and Moretta, L. P58 molecules as putative receptors for major histocompatibility complex (MHC) class I molecules in human natural killer (NK) cells. Anti-p58 antibodies reconstitute lysis of MHC class I–protected cells in NK clones displaying different specificities. 597.
— *See* Malnati, Lusso, Ciccone, Moretta, Moretta, and Long.
Moretta, L. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
— *See* Malnati, Lusso, Ciccone, Moretta, Moretta, and Long.
— *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Moritz, T., Keller, D.C., and Williams, D.A. Human cord blood cells as targets for gene transfer: potential use in genetic therapies of severe combined immunodeficiency disease. 529.
Moriyama, T. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.
Moroni, C. *See* Hirsch, Nair, and Moroni.
Morrison, S.L. *See* Tao, Smith, and Morrison.
Morrissey, P.J., Charrier, K., Braddy, S., Liggitt, D., and Watson, J.D. $CD4^+$ T cells that express high levels of CD45RB induce wasting disease when transferred into congenic severe combined immunodeficient mice. Disease development is prevented by cotransfer of purified $CD4^+$ T cells. 237.
— *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.
Mortarini, R. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.
Mosmann, T.R. *See* Yang, Gieni, Mosmann, and HayGlass.
Moss, R. *See* Fuller, Owens, Jagger, Wilson, Moss, and Chambers.
Moudgil, K.D., and Sercarz, E.E. Dominant determinants in hen eggwhite lysozyme correspond to the cryptic determinants within its self-homologue, mouse lysozyme: implications in shaping of the T cell repertoire and autoimmunity. 2131.
Mountz, J.D. *See* Wu, Zhou, He, and Mountz.
Mul, E.P.J. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.
Muller, W.A., Weigl, S.A., Deng, X., and Phillips, D.M. PECAM-1 is required for transendothelial migration of leukocytes. 449.
Mulligan, M.S., Lowe, J.B., Larsen, R.D., Paulson, J., Zheng, Z.-l., DeFrees, S., Maemura, K., Fukuda, M., and Ward, P.A. Protective effects of sialylated oligosaccharides in immune complex–induced acute lung injury. 623.
Muniesa, P. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Murakami, M. *See* Nisitani, Tsubata, Murakami, Okamoto, and Hongo.
Murphy, M. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Murphy, W.J., Durum, S.K., and Longo, D.L. Differential effects of growth hormone and prolactin on murine T cell development and function. 231.
Murray, R.J. *See* Brooks, Murray, Thomas, Kurilla, and Rickinson.
Myers, N.B. *See* Smith, Myers, Gorka, and Hansen.
Myracle, A. *See* English, Ihle, Myracle, and Yi.

N

Nadal, D. *See* Frei, Nadal, Pfister, and Fontana.
Nadler, L.M. *See* Boussiotis, Freeman, Gray, Gribben, and Nadler.
— *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Nagarkatti, M. *See* Hammond, Nagarkatti, Goté, Seth, Hassuneh, and Nagarkatti.
Nagarkatti, P.S. *See* Hammond, Nagarkatti, Goté, Seth, Hassuneh, and Nagarkatti.
Nagasaka, Y. *See* Tanaka, Kitamura, Nagasaka, Kuida, Suwa, and Miyasaka.
Nair, A.P.K. *See* Hirsch, Nair, and Moroni.
Naito, M. *See* Inaba, Inaba, Naito, and Steinman.
Nakamura, K.-I. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.
Nakauchi, H. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.
Namba, T. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.
Namen, A.E. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.
— *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.
Nandi, D. *See* Leclercq, Plum, Nandi, De Smedt, and Allison.
Narumiya, S. *See* Ushikubi, Aiba, Nakamura, Namba, Hirata, Mazda, Katsura, and Narumiya.
Nathan, C. *See* Vodovotz, Bogdan, Paik, Xie, and Nathan.
Nathan, C.F. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.
Neefjes, J.J., Hämmerling, G.J., and Momburg, F. Folding and assembly of major histocompatibility complex class I heterodimers in the endoplasmic reticulum of intact cells precedes the binding of peptide. 1971.
Neu, N. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.
Neumann, M.A. *See* James, Gibson, Neumann, and Cleland.
Newburger, P.E. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.
Ng, J.W. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Ngan, B.Y. *See* Hawley, Fong, Ngan, de Lanux, Clark, and Hawley.
Nickowitz, R.E., and Worman, H.J. Autoantibodies from patients with primary biliary cirrhosis recognize a restricted region within the cytoplasmic tail of nuclear pore membrane glycoprotein Gp210. 2237.
Nicolaides, N.C. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.
Nicolini, G. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.
Nieborowska-Skorska, M. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Nikolić-Žugić, J. *See* Andjelić, Jain, and Nikolić-Žugić.
Nisanian, A.J. *See* Bhardwaj, Young, Nisanian, Baggers, and Steinman.
Nishikata, H. *See* Hinds-Frey, Nishikata, Litman, and Litman.
Nishikawa, S.-i. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.
Nisitani, S., Tsubata, T., Murakami, M., Okamoto, M., and Hongo, T. The bcl-2 gene product inhibits clonal deletion of self-reactive B lymphocytes in the periphery but not in the bone marrow. 1247.
Noelle, R.J. *See* Foy, Shepherd, Durie, Aruffo, Ledbetter, and Noelle.
— *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.
Nonoyama, S., Hollenbaugh, D., Aruffo, A., Ledbetter, J.A., and Ochs, H.D. B cell activation via CD40 is required for specific antibody production by antigen-stimulated human B cells. 1097.
Norton, J.A. *See* Block, Berg, McNamara, Norton, Fraker, and Alexander.
Nossal, G.J.V. *See* McHeyzer-Williams, McLean, Lalor, and Nossal.
Nowicki, B., Hart, A., Coyne, K.E., Lublin, D.M., and Nowicki, S. Short consensus repeat-3 domain of recombinant decay-accelerating factor is recognized by *Escherichia coli* recombinant Dr adhesin in a model of a cell–cell interaction. 2115.

Nowicki, S. *See* Nowicki, Hart, Coyne, Lublin, and Nowicki.
Noy, N. *See* Buck, Grün, Derguini, Chen, Kimura, Noy, and Hämmerling.
Nussenzweig, M. *See* Sanchez, Misulovin, Burkhardt, Mahajan, Costa, Franke, Bolen, and Nussenzweig.

O

Ochs, H.D. *See* Nonoyama, Hollenbaugh, Aruffo, Ledbetter, and Ochs.
Ochs, R.L. *See* Fritzler, Hamel, Ochs, and Chan.
O'Doherty, U., Steinman, R.M., Peng, M., Cameron, P.U., Gezelter, S., Kopeloff, I., Swiggard, W.J., Pope, M., and Bhardwaj, N. Dendritic cells freshly isolated from human blood express CD4 and mature into typical immunostimulatory dendritic cells after culture in monocyte-conditioned medium. 1067.
Ogawa, M. *See* Matsuzaki, Gyotoku, Ogawa, Nishikawa, Katsura, Gachelin, and Nakauchi.
O'Hehir, R.E. *See* Hoyne, O'Hehir, Wraith, Thomas, and Lamb.
Ohta, Y. *See* Haire, Buell, Litman, Ohta, Fu, Honjo, Matsuda, de la Morena, Carro, Good, and Litman.
Okamoto, M. *See* Nisitani, Tsubata, Murakami, Okamoto, and Hongo.
Oldstone, M.B.A. *See* Laufer, von Herrath, Grusby, Oldstone, and Glimcher.
Olson, R.R., Reuter, J.J., and Scalf, K. Cell surface expression and function of an HLA class II molecule with class I domain configuration. 731.
Oppliger, I.R. *See* Hillson, Karr, Oppliger, Mannik, and Sasso.
Orengo, A.M. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Orenstein, J. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Orlandi, P.A. *See* Kain, Orlandi, Haynes, Sim, and Lanar.
Orme, I.M. *See* Cooper, Dalton, Stewart, Griffin, Russell, and Orme.
Owens, J.M. *See* Fuller, Owens, Jagger, Wilson, Moss, and Chambers.

P

Padlan, E.A. *See* Corr, Boyd, Padlan, and Margulies.
Paglia, P., Girolomoni, G., Robbiati, F., Granucci, F., and Ricciardi-Castagnoli, P. Immortalized dendritic cell line fully competent in antigen presentation initiates primary T cell responses in vivo. 1893.
Paik, J. *See* Vodovotz, Bogdan, Paik, Xie, and Nathan.
Pajusola, K. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.
Palaszynski, S.R. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Paliogianni, F., Kincaid, R.L., and Boumpas, D.T. Prostaglandin E_2 and other cyclic AMP elevating agents inhibit interleukin 2 gene transcription by counteracting calcineurin-dependent pathways. 1813.
Palmantier, R. *See* Surette, Palmantier, Gosselin, and Borgeat.
Pang, Y. *See* Penix, Weaver, Pang, Young, and Wilson.
Panja, A., Blumberg, R.S., Balk, S.P., and Mayer, L. CD1d is involved in T cell–intestinal epithelial cell interactions. 1115.
Panka, D.J. *See* Knight, Agnello, Bonagura, Barnes, Panka, and Zhang.
Parenza, M. *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.
Parham, P. *See* Litwin, Gumperz, Parham, Phillips, and Lanier.
Park, C.G. *See* Yazdanbakhsh, Park, Winslow, and Choi.
Park, S.H., Bae, Y.M., Kwon, H.J., Kim, T.J., Kim, J., Lee, S.J., and Lee, S.K. JL1, a novel differentiation antigen of human cortical thymocyte. 1447.
Parmiani, G. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.
— *See* Stoppacciaro, Melani, Parenza, Mastracchio, Bassi, Baroni, Parmiani, and Colombo.
Parnassa, A. *See* Chu, Drappa, Parnassa, and Elkon.
Parsons, I.J. *See* Pelchen-Matthews, Parsons, and Marsh.
Pascual, V. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.
Paul, W.E. *See* Chu, Max, and Paul.
— *See* Mandler, Chu, Paul, Max, and Snapper.
Paulsen, G. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.
Paulson, J. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
Pauza, M.E., Rehmann, J.A., and LeBien, T.W. Unusual patterns of immunoglobulin gene rearrangement and expression during human B cell ontogeny: human B cells can simultaneously express cell surface κ and λ light chains. 139.
Pawson, T. *See* Kozlowski, Mlinaric-Rascan, Feng, Shen, Pawson, and Siminovitch.
Pearson, D.A. *See* Sykes, Harty, Karlhofer, Pearson, Szot, and Yokoyama.
Peerschke, E.I.B., Reid, K.B.M., and Ghebrehiwet, B. Platelet activation by C1q results in the induction of α_{IIb}/β_3 integrins (GPIIb-IIIa) and the expression of P-selectin and procoagulant activity. 579.
Pelchen-Matthews, A., Parsons, I.J., and Marsh, M. Phorbol ester–induced down-regulation of CD4 is a multistep process involving dissociation from $p56^{lck}$, increased association with clathrin-coated pits, and altered endosomal sorting. 1209.
Pende, D. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
Peng, M. *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.
Penix, L., Weaver, W.M., Pang, Y., Young, H.A., and Wilson, C.B. Two essential regulatory elements in the human interferon γ promoter confer activation specific expression in T cells. 1483.
Penninger, J.M., Neu, N., Timms, E., Wallace, V.A., Koh, D.-R., Kishihara, K., Pummerer, C., and Mak, T.W. Induction of experimental autoimmune myocarditis in mice lacking CD3 or CD8 molecules. 1837.
Pennycook, J.L., Chang, Y., Celler, J., Phillips, R.A., and Wu, G.E. High frequency of normal DJ_H joints in B cell progenitors in severe combined immunodeficiency mice. 1007.
Perkins, G.R., Marvel, J., and Collins, M.K.L. Interleukin 2 activates extracellular signal-regulated protein kinase 2. 1429.
Perlmutter, R.M. *See* Levin, Abraham, Anderson, Forbush, and Perlmutter.
Persico, M.G. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.
Perussia, B. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Peterson, L.B. *See* Podolin, Pressey, DeLarato, Fischer, Peterson, and Wicker.
Petrie, H.T., Livak, F., Schatz, D.G., Strasser, A., Crispe, I.N., and Shortman, K. Multiple rearrangements in T cell receptor α chain genes maximize the production of useful thymocytes. 615.
Petryniak, B. *See* Wang, Petryniak, Ho, Thompson, and Leiden.
Pett, S. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Pfister, H.-W. *See* Frei, Nadal, Pfister, and Fontana.
Phillips, D.M. *See* Muller, Weigl, Deng, and Phillips.
Phillips, J.H. *See* Litwin, Gumperz, Parham, Phillips, and Lanier.
— *See* Sánchez, Spits, Lanier, and Phillips.
Phillips, R.A. *See* Pennycook, Chang, Celler, Phillips, and Wu.
Piccolo, G. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.
Pileri, A. *See* Corradini, Boccadoro, Voena, and Pileri.
Pileri, P. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.
Pillai, S. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.
Pilling, D. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Planz, O., Bilzer, T., Sobbe, M., and Stitz, L. Lysis of major histocompatibility complex class I–bearing cells in Borna disease virus–induced degenerative encephalopathy. 163.
Plum, J. *See* Leclercq, Plum, Nandi, De Smedt, and Allison.
Podolin, P.L., Pressey, A., DeLarato, N.H., Fischer, P.A., Peterson, L.B., and Wicker, L.S. I-E^+ nonobese diabetic mice develop insulitis and diabetes. 793.

Poon-King, R., Bannan, J., Viteri, A., Cu, G., and Zabriskie, J.B. Identification of an extracellular plasmin binding protein from nephritogenic streptococci. 759.
Pope, M. *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.
Porcelli, S., Yockey, C.E., Brenner, M.B., and Balk, S.P. Analysis of T cell antigen receptor (TCR) expression by human peripheral blood CD4$^-$8$^-$ α/β T cells demonstrates preferential use of several Vβ genes and an invariant TCR α chain. 1.
Post, M. *See* Momburg, Fuchs, Drexler, Busch, Post, Hämmerling, and Adorini.
Potter, K.N., Li, Y., Pascual, V., Williams, R.C., Jr., Byres, L.C., Spellerberg, M., Stevenson, F.K., and Capra, J.D. Molecular characterization of a cross-reactive idiotope on human immunoglobulins utilizing the V_H4–21 gene segment. 1419.
Poussier, P., Teh, H.S., and Julius, M. Thymus-independent positive and negative selection of T cells expressing a major histocompatibility complex class I restricted transgenic T cell receptor α/β in the intestinal epithelium. 1947.
Powell, M.S. *See* Ierino, Powell, McKenzie, and Hogarth.
Pragnell, I.B. *See* Maltman, Pragnell, and Graham.
Pressey, A. *See* Podolin, Pressey, DeLarato, Fischer, Peterson, and Wicker.
Prospero, T.D. *See* Eichhorn, Prospero, Heussler, and Dobbelaere.
Przylepa, J. *See* Jacob, Przylepa, Miller, and Kelsoe.
Pucillo, C., Cepeda, R., and Hodes, R.J. Expression of a MHC class II transgene determines both superantigenicity and susceptibility to mammary tumor virus infection. 1441.
Pugin, J., Ulevitch, R.J., and Tobias, P.S. A critical role for monocytes and CD14 in endotoxin-induced endothelial cell activation. 2193.
Pummerer, C. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.
Punnonen, J. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.
Puré, E. *See* Camp, Scheynius, Johansson, and Puré.

Q

Qin, Z., Krüger-Krasagakes, S., Kunzendorf, U., Hock, H., Diamantstein, T., and Blankenstein, T. Expression of tumor necrosis factor by different tumor cell lines results either in tumor suppression or augmented metastasis. 355.
Quilliam, L. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.
Qureshi, N. *See* Manthey, Qureshi, Stütz, and Vogel.

R

Rajasekar, R., Sirr, A., McCarty, M., Sim, G.-K., and Augustin, A. In Mls-1^a mice, fetal-type β-gene rearrangements are frequent among self-anergic Vβ6 T cells. 1713.
Ramadori, G. *See* Armbrust, Schwögler, Zöhrens, and Ramadori.
Ramsdell, F. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.
Rao, A. *See* Goldfeld, McCaffrey, Strominger, and Rao.
Rapoport, M.J., Jaramillo, A., Zipris, D., Lazarus, A.H., Serreze, D.V., Leiter, E.H., Cyopick, P., Danska, J.S., and Delovitch, T.L. Interleukin 4 reverses T cell proliferation unresponsiveness and prevents the onset of diabetes in nonobese diabetic mice. 87.
— *See* Lazarus, Kawauchi, Rapoport, and Delovitch.
Rasmussen, R.A. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen. Levine, and Anderson.
Ratajczak, M. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Raulet, D. *See* Bix, Coles, and Raulet.
Raulet, D.H. *See* McArthur and Raulet.
Ravetch, J.V. *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.
Rehmann, J.A. *See* Pauza, Rehmann, and LeBien.
Reid, K.B.M. *See* Peerschke, Reid, and Ghebrehiwet.
Reis e Sousa, C., Stahl, P.D., and Austyn, J.M. Phagocytosis of antigens by Langerhans cells in vitro. 509.
Reiser, H. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Reuter, J.J. *See* Olson, Reuter, and Scalf.
Ribaudo, R.K. *See* Loss, Elias, Fields, Ribaudo, McKisic, and Sant.
Ricciardi-Castagnoli, P. *See* Paglia, Girolomoni, Robbiati, Granucci, and Ricciardi-Castagnoli.
Richardson, J.H. *See* Breban, Hammer, Richardson, and Taurog.
Rickinson, A.B. *See* Brooks, Murray, Thomas, Kurilla, and Rickinson.
Robbiati, F. *See* Paglia, Girolomoni, Robbiati, Granucci, and Ricciardi-Castagnoli.
Robertson, M.J. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen, Levine, and Anderson.
Robinson, M. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.
Rock, E.P. *See* Ehrich, Devaux, Rock, Jorgensen, Davis, and Chien.
— *See* Karasuyama, Rolink, and Melchers.
Rolink, A., Grawunder, U., Haasner, D., Strasser, A., and Melchers, F. Immature surface Ig$^+$ B cells can continue to rearrange κ and λ L chain gene loci. 1263.
— *See* Karasuyama, Rolink, and Melchers.
Romani, N. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.
Romball, C.G., and Weigle, W.O. In vivo induction of tolerance in murine CD4$^+$ cell subsets. 1637.
Rosa, M.D. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.
Rosen, H. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
Rosenberg, S.A. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.
Roth, P.E., Doglio, L., Manz, J.T., Kim, J.Y., Lo, D., and Storb, U. Immunoglobulin γ2b transgenes inhibit heavy chain gene rearrangement, but cannot promote B cell development. 2007.
Roux, E. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.
Rowley, D.A., and Stach, R.M. A first or dominant immunization. I. Suppression of simultaneous cytolytic T cell responses to unrelated alloantigens. 835.
— *See* Stach and Rowley.
Roy, M. *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.
Rozdzinski, E., Burnette, W.N., Jones, T., Mar, V., and Tuomanen, E. Prokaryotic peptides that block leukocyte adherence to selectins. 917.
Rubin, J.S. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Rudd, C.E. *See* da Silva, Janssen, and Rudd.
Rudnicka, L. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.
Ruetsch, N.R. *See* Kotloff, Bosma, and Ruetsch.
Russell, D.G. *See* Cooper, Dalton, Stewart, Griffin, Russell, and Orme.

S

Sadziene, A. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Saeland, S., Duvert, V., Moreau, I., and Banchereau, J. Human B cell precursors proliferate and express CD23 after CD40 ligation. 113.
Saito, K. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.
Salazar, M. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.
Salmi, M., Kalimo, K., and Jalkanen, S. Induction and function of vascular adhesion protein-1 at sites of inflammation. 2255.
Salmon, M. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.
Salvi, S. *See* Sensi, Salvi, Castelli, Maccalli, Mazzocchi, Mortarini, Nicolini, Herlyn, Parmiani, and Anichini.

Samelson, L.E. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.

Sanchez, M., Misulovin, Z., Burkhardt, A.L., Mahajan, S., Costa, T., Franke, R., Bolen, J.B., and Nussenzweig, M. Signal transduction by immunoglobulin is mediated through Igα and Igβ. 1049.

Sánchez, M.J., Spits, H., Lanier, L.L., and Phillips, J.H. Human natural killer cell committed thymocytes and their relation to the T cell lineage. 1857.

Sánchez-Madrid, F. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.

Sánchez-Mateos, P. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.

Sant, A.J. *See* Loss, Elias, Fields, Ribaudo, McKisic, and Sant.

Santis, A.G. *See* López-Cabrera, Santis, Fernández-Ruiz, Blacher, Esch, Sánchez-Mateos, and Sánchez-Madrid.

Sarin, A., Adams, D.H., and Henkart, P.A. Protease inhibitors selectively block T cell receptor-triggered programmed cell death in a murine T cell hybridoma and activated peripheral T cells. 1693.

Sarris, A.H., Broxmeyer, H.E., Wirthmueller, U., Karasavvas, N., Cooper, S., Lu, L., Krueger, J., and Ravetch, J.V. Human interferon-inducible protein 10: expression and purification of recombinant protein demonstrate inhibition of early human hematopoietic progenitors. 1127.

Sarvetnick, N. *See* Wogensen, Huang, and Sarvetnick.

Sasso, E.H. *See* Hillson, Karr, Oppliger, Mannik, and Sasso.

Sawasdikosol, S., Hague, B.F., Zhao, T.M., Bowers, F.S., Simpson, R.M., Robinson, M., and Kindt, T.J. Selection of rabbit $CD4^-CD8^-$ T cell receptor–γ/δ cells by in vitro transformation with human T lymphotropic virus–I. 1337.

Sayegh, M.H. *See* Khoury, Sayegh, Hancock, Gallon, Carpenter, and Weiner.

Scalf, K. *See* Olson, Reuter, and Scalf.

Schäfer, M.K.-H. *See* Bette, Schäfer, van Rooijen, Weihe, and Fleischer.

Scharton, T.M., and Scott, P. Natural killer cells are a source of interferon γ that drives differentiation of $CD4^+$ T cell subsets and induces early resistance to *Leishmania major* in mice. 567.

Schatz, D.G. *See* Petrie, Livak, Schatz, Strasser, Crispe, and Shortman.

Scheidegger, D. *See* Kosco-Vilbois, Gray, Scheidegger, and Julius.

Scheynius, A. *See* Camp, Scheynius, Johansson, and Puré.

Schiavon, V. *See* Maïza, Leca, Mansur, Schiavon, Boumsell, and Bensussan.

Schindler, D.G. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.

Schlicht, H.J. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.

Schnier, G.S. *See* Matos, Schnier, Beecher, Ashman, Williams, and Caligiuri.

Schooley, K. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.

Schreiber, H. *See* Seung, Urban, and Schreiber.

Schreiber, R.D. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.

Schuerer-Maly, C.C. *See* Maly, Schuerer-Maly, Quilliam, Cochrane, Newburger, Curnutte, Gifford, and Dinauer.

Schuler, G. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.

Schwartz, H.L. *See* Zúñiga-Pflücker, Schwartz, and Lenardo.

Schwögler, S. *See* Armbrust, Schwögler, Zöhrens, and Ramadori.

Scott, H. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.

Scott, P. *See* Scharton and Scott.

Scott, S. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.

Secrist, H., Chelen, C.J., Wen, Y., Marshall, J.D., and Umetsu, D.T. Allergen immunotherapy decreases interleukin 4 production in $CD4^+$ T cells from allergic individuals. 2123.

Sehajpal, P. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.

Sen, R. *See* Landry, Engel, and Sen.

Sensi, M., Salvi, S., Castelli, C., Maccalli, C., Mazzocchi, A., Mortarini, R., Nicolini, G., Herlyn, M., Parmiani, G., and Anichini, A. T cell receptor (TCR) structure of autologous melanoma–reactive cytotoxic T lymphocyte (CTL) clones: tumor-infiltrating lymphocytes overexpress in vivo the TCR β chain sequence used by an HLA-A2–restricted and melanocyte-lineage–specific CTL clone. 1231.

Sercarz, E. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.

Sercarz, E.E. *See* Kumar and Sercarz.

— *See* Moudgil and Sercarz.

Serreze, D.V. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.

Seth, A. *See* Hammond, Nagarkatti, Goté, Seth, Hassuneh, and Nagarkatti.

Seung, S., Urban, J.L., and Schreiber, H. A tumor escape variant that has lost one major histocompatibility complex class I restriction element induces specific $CD8^+$ T cells to an antigen that no longer serves as a target. 933.

Shafer, G.E. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.

Shamsadeen, N. *See* Akbar, Borthwick, Salmon, Gombert, Bofill, Shamsadeen, Pilling, Pett, Grundy, and Janossy.

Shankar, A.H., and Titus, R.G. *Leishmania major*–specific, $CD4^+$, major histocompatibility complex class II–restricted T cells derived in vitro from lymphoid tissues of naive mice. 101.

Shapiro, D. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.

Sharma, V. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.

Sharpe, A.H. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.

Shen, R. *See* Kozlowski, Mlinaric-Rascan, Feng, Shen, Pawson, and Siminovitch.

Shepherd, D.M. *See* Foy, Shepherd, Durie, Aruffo, Ledbetter, and Noelle.

— *See* Van den Eertwegh, Noelle, Roy, Shepherd, Aruffo, Ledbetter, Boersma, and Claassen.

Sher, A. *See* Denkers, Gazzinelli, Martin, and Sher.

Shortman, K. *See* Petrie, Livak, Schatz, Strasser, Crispe, and Shortman.

Sigaux, F. *See* Beldjord, Beldjord, Macintyre, Even, and Sigaux.

Sim, B.K.L. *See* Kain, Orlandi, Haynes, Sim, and Lanar.

Sim, G.-K., and Augustin, A. The presence of an endogenous murine leukemia virus sequence correlates with the peripheral expansion of γδ T cells bearing the BALB invariant delta (BID) T cell receptor δ. 1819.

— *See* Rajasekar, Sirr, McCarty, Sim, and Augustin.

Siminovitch, K.A. *See* Kozlowski, Mlinaric-Rascan, Feng, Shen, Pawson, and Siminovitch.

Simpson, R.M. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.

Singer, A. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.

Singer, I.I. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.

Sirr, A. *See* Rajasekar, Sirr, McCarty, Sim, and Augustin.

Skeen, M.J., and Ziegler, H.K. Induction of murine peritoneal γ/δ T cells and their role in resistance to bacterial infection. 971.

—, and Ziegler, H.K. Intercellular interactions and cytokine responsiveness of peritoneal α/β and γ/δ T cells from *Listeria*-infected mice: synergistic effects of interleukin 1 and 7 on γ/δ T cells. 985.

Skjønsberg, C. *See* Jacobsen, Veiby, Skjønsberg, and Jacobsen.

Skolnik, E.Y. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.

Skorski, T., Kanakaraj, P., Nieborowska-Skorska, M., Ratajczak, M., Szczylik, C., Zon, G., Arlinghaus, R.B., Gewirtz, A., Perussia, B., and Calabretta, B. p120 GAP requirement in normal and malignant human hematopoiesis. 1923.

— *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.

Smeland, E.B. *See* Jacobsen, Veiby, and Smeland.

Smith, J.D., Myers, N.B., Gorka, J., and Hansen, T.H. Model for the in vivo assembly of nascent L^d class I molecules and for the expression of unfolded L^d molecules at the cell surface. 2035.

Smith, R.I.F. *See* Tao, Smith, and Morrison.

Smithson, G. *See* Medina, Smithson, and Kincade.

Snapper, C.M. *See* Mandler, Chu, Paul, Max, and Snapper.

Sobbe, M. *See* Planz, Bilzer, Sobbe, and Stitz.

Solimena, M. *See* Butler, Solimena, Dirkx, Hayday, and De Camilli.
— *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.
Sollid, L.M. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.
Somoza, C., Driscoll, P.C., Cyster, J.G., and Williams, A.F. Mutational analysis of the CD2/CD58 interaction: the binding site for CD58 lies on one face of the first domain of human CD2. 549.
Sorrell, J.M. *See* Vivier, Sorrell, Ackerly, Robertson, Rasmussen, Levine, and Anderson.
Spellerberg, M. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.
Spielman, A. *See* Telford, Fikrig, Barthold, Brunet, Spielman, and Flavell.
Spits, H. *See* Galy, Verma, Bárcena, and Spits.
— *See* Sánchez, Spits, Lanier, and Phillips.
Spriggs, M.K. *See* Alderson, Armitage, Tough, Strockbine, Fanslow, and Spriggs.
Springer, M.S. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
Srivastava, P.K. *See* Udono and Srivastava.
Staats, H.F. *See* Xu-Amano, Kiyono, Jackson, Staats, Fujihashi, Burrows, Elson, Pillai, and McGhee.
Stach, R.M., and Rowley, D.A. A first or dominant immunization. II. Induced immunoglobulin carries transforming growth factor β and suppresses cytolytic T cell responses to unrelated alloantigens. 841.
— *See* Rowley and Stach.
Stahl, P.D. *See* Reis e Sousa, Stahl, and Austyn.
Staiano-Coico, L., Krueger, J.G., Rubin, J.S., D'limi, S., Vallat, V.P., Valentino, L., Fahey, T., III, Hawes, A., Kingston, G., Madden, M.R., Mathwich, M., Gottlieb, A.B., and Aaronson, S.A. Human keratinocyte growth factor effects in a porcine model of epidermal wound healing. 865.
Standiford, T.J. *See* Kasama, Strieter, Standiford, Burdick, and Kunkel.
Stanley, S.K., McCune, J.M., Kaneshima, H., Justement, J.S., Sullivan, M., Boone, E., Baseler, M., Adelsberger, J., Bonyhadi, M., Orenstein, J. Fox, C.H., and Fauci, A.S. Human immunodeficiency virus infection of the human thymus and disruption of the thymic microenvironment in the SCID-hu mouse. 1151.
Stanzl, U. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.
Steinman, R.M. *See* Bhardwaj, Young, Nisanian, Baggers, and Steinman.
— *See* Brumeanu, Swiggard, Steinman, Bona, and Zaghouani.
— *See* Inaba, Inaba, Naito, and Steinman.
— *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.
Stevenson, F.K. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.
Stewart, T.A. *See* Cooper, Dalton, Stewart, Griffin, Russell, and Orme.
— *See* Flynn, Chan, Triebold, Dalton, Stewart, and Bloom.
— *See* Graham, Dalton, Giltinan, Braciale, Stewart, and Braciale.
Stitz, L. *See* Planz, Bilzer, Sobbe, and Stitz.
St. Louis, J.D., Lederer, J.A., and Lichtman, A.H. Costimulator deficient antigen presentation by an endothelial cell line induces a nonproliferative T cell activation response without anergy. 1597.
Stokes, R.W. *See* Lukacs, Lowrie, Stokes, and Colston.
Stoppacciaro, A., Melani, C., Parenza, M., Mastracchio, A., Bassi, C., Baroni, C., Parmiani, G., and Colombo, M.P. Regression of an established tumor genetically modified to release granulocyte colony-stimulating factor requires granulocyte–T cell cooperation and T cell–produced interferon γ. 151.
Storb, U. *See* Roth, Doglio, Manz, Kim, Lo, and Storb.
Stover, C.K., Bansal, G.P., Hanson, M.S., Burlein, J.E., Palaszynski, S.R., Young, J.F., Koenig, S., Young, D.B., Sadziene, A., and Barbour, A.G. Protective immunity elicited by recombinant bacille Calmette-Guerin (BCG) expressing outer surface protein A (OspA) lipoprotein: a candidate Lyme disease vaccine. 197.
Strasser, A. *See* Petrie, Livak, Schatz, Strasser, Crispe, and Shortman.
— *See* Rolink, Grawunder, Haasner, Strasser, and Melchers.
Straus, D.B., and Weiss, A. The CD3 chains of the T cell antigen receptor associate with the ZAP-70 tyrosine kinase and are tyrosine phosphorylated after receptor stimulation. 1523.
Strieter, R.M. *See* Kasama, Strieter, Standiford, Burdick, and Kunkel.
Strober, W. *See* Wakatsuki and Strober.
Strockbine, L. *See* Alderson, Armitage, Tough, Strockbine, Fanslow, and Spriggs.
Strominger, J.L. *See* Chicz, Urban, Gorga, Vignali, Lane, and Strominger.
— *See* Goldfeld, McCaffrey, Strominger, and Rao.
Stroynowski, I. *See* Teitell, Holcombe, Cheroutre, Aldrich, Stroynowski, Forman, and Kronenberg.
Stütz, P.L. *See* Manthey, Qureshi, Stütz, and Vogel.
Sullivan, M. *See* Stanley, McCune, Kaneshima, Justement, Sullivan, Boone, Baseler, Adelsberger, Bonyhadi, Orenstein, Fox, and Fauci.
Surette, M.E., Palmantier, R., Gosselin, J., and Borgeat, P. Lipopolysaccharides prime whole human blood and isolated neutrophils for the increased synthesis of 5-lipoxygenase products by enhancing arachidonic acid availability: involvement of the CD14 antigen. 1347.
Suthanthiran, M. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.
Suttorp, N., Fuhrmann, M., Tannert-Otto, S., Grimminger, F., and Bhakdi, S. Pore-forming bacterial toxins potently induce release of nitric oxide in porcine endothelial cells. 337.
Suwa, H. *See* Tanaka, Kitamura, Nagasaka, Kuida, Suwa, and Miyasaka.
Swier, K. *See* Anderson, Swier, Arneson, and Miller.
Swiggard, W.J. *See* Brumeanu, Swiggard, Steinman, Bona, and Zaghouani.
— *See* O'Doherty, Steinman, Peng, Cameron, Gezelter, Kopeloff, Swiggard, Pope, and Bhardwaj.
Sykes, M., Harty, M.W., Karlhofer, F.M., Pearson, D.A., Szot, G., and Yokoyama, W. Hematopoietic cells and radioresistant host elements influence natural killer cell differentiation. 223.
Szczylik, C., Skorski, T., Ku, D.-H., Nicolaides, N.C., Wen, S.-C., Rudnicka, L., Bonati, A., Malaguarnera, L., and Calabretta, B. Regulation of proliferation and cytokine expression of bone marrow fibroblasts: role of *c-myb*. 997.
— *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Szot, G. *See* Sykes, Harty, Karlhofer, Pearson, Szot, and Yokoyama.

T

Tagliafico, E. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Takahashi, M. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.
Takahashi, S. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Taki, T. *See* Yuki, Taki, Inagaki, Kasama, Takahashi, Saito, Handa, and Miyatake.
Tan, S.-S. *See* Alderuccio, Toh, Tan, Gleeson, and van Driel.
Tanaka, T., Kitamura, F., Nagasaka, Y., Kuida, K., Suwa, H., and Miyasaka, M. Selective long-term elimination of natural killer cells in vivo by an anti–interleukin 2 receptor β chain monoclonal antibody in mice. 1103.
Tang, H. *See* Matthes, Werner-Favre, Tang, Zhang, Kindler, and Zubler.
Tang, L., and Eaton, J.W. Fibrin(ogen) mediates acute inflammatory responses to biomaterials. 2147.
Tannert-Otto, S. *See* Suttorp, Fuhrmann, Tannert-Otto, Grimminger, and Bhakdi.
Tao, M.-H., Smith, R.I.F., and Morrison, S.L. Structural features of human immunoglobulin G that determine isotype-specific differences in complement activation. 661.
Taurog, J.D. *See* Breban, Hammer, Richardson, and Taurog.
Teh, H.S. *See* Poussier, Teh, and Julius.
Teitell, M., Holcombe, H., Cheroutre, H., Aldrich, C.J., Stroynowski, I., Forman, J., and Kronenberg, M. The α3 domain of the Qa-2 molecule is defective for CD8 binding and cytotoxic T lymphocyte activation. 2139.
Telford, S.R., III, Fikrig, E., Barthold, S.W., Brunet, L.R., Spielman, A., and Flavell, R.A. Protection against antigenically variable *Borrelia burgdorferi* conferred by recombinant vaccines. 755.
Terman, B.I. *See* Kaipainen, Korhonen, Pajusola, Aprelikova, Persico, Terman, and Alitalo.
Thomas, A. *See* De Camilli, Thomas, Cofiell, Folli, Lichte, Piccolo, Meinck, Austoni, Fassetta, Bottazzo, Bates, Cartlidge, Solimena, and Kilimann.

Thomas, W.A. *See* Brooks, Murray, Thomas, Kurilla, and Rickinson.
Thomas, W.R. *See* Hoyne, O'Hehir, Wraith, Thomas, and Lamb.
Thompson, C.B. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.
— *See* Wang, Petryniak, Ho, Thompson, and Leiden.
Thorsby, E. *See* Lundin, Scott, Hansen, Paulsen, Halstensen, Fausa, Thorsby, and Sollid.
Tilg, H., Vannier, E., Vachino, G., Dinarello, C.A., and Mier, J.W. Antiinflammatory properties of hepatic acute phase proteins: preferential induction of interleukin 1 (IL-1) receptor antagonist over IL-1β synthesis by human peripheral blood mononuclear cells. 1629.
Tilton, R.G. *See* Lin, Lin, Tilton, and Cross.
Timms, E. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.
Titus, R.G. *See* Shankar and Titus.
Tizard, R. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.
Tobias, P.S. *See* Pugin, Ulevitch, and Tobias.
Toh, B.-H. *See* Alderuccio, Toh, Tan, Gleeson, and van Driel.
Tollefson, V. *See* Kuijpers, Mul, Blom, Kovach, Gaeta, Tollefson, Elices, and Harlan.
Topar, G. *See* Heufler, Topar, Grasseger, Stanzl, Koch, Romani, Namen, and Schuler.
Torelli, U. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Tough, T.W. *See* Alderson, Armitage, Maraskovsky, Tough, Roux, Schooley, Ramsdell, and Lynch.
— *See* Alderson, Armitage, Tough, Strockbine, Fanslow, and Spriggs.
Townend, D. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
Treisman, J. *See* Hwu, Shafer, Treisman, Schindler, Gross, Cowherd, Rosenberg, and Eshhar.
Trembleau, S. *See* Deng, Apple, Clare-Salzler, Trembleau, Mathis, Adorini, and Sercarz.
Triebold, K.J. *See* Flynn, Chan, Triebold, Dalton, Stewart, and Bloom.
Trinchieri, G. *See* D'Andrea, Aste-Amezaga, Valiante, Ma, Kubin, and Trinchieri.
— *See* Valiante and Trinchieri.
Tsokos, M. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.
Tsubata, T. *See* Nisitani, Tsubata, Murakami, Okamoto, and Hongo.
Tuomanen, E. *See* Rozdzinski, Burnette, Jones, Mar, and Tuomanen.
Turka, L.A. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.

U

Udono, H. and Srivastava, P.K. Heat shock protein 70–associated peptides elicit specific cancer immunity. 1391.
Ulevitch, R.J. *See* Pugin, Ulevitch, and Tobias.
Umetsu, D.T. *See* Secrist, Chelen, Wen, Marshall, and Umetsu.
Unutmaz, D. *See* Minutello, Pileri, Unutmaz, Censini, Kuo, Houghton, Brunetto, Bonino, and Abrignani.
Urban, J.L. *See* Seung, Urban, and Schreiber.
Urban, R.G. *See* Chicz, Urban, Gorga, Vignali, Lane, and Strominger.
Ushikubi, F., Aiba, Y.-i., Nakamura, K.-I., Namba, T., Hirata, M., Mazda, O., Katsura, Y., and Narumiya, S. Thromboxane A_2 receptor is highly expressed in mouse immature thymocytes and mediates DNA fragmentation and apoptosis. 1825.

V

Vachino, G. *See* Tilg, Vannier, Vachino, Dinarello, and Mier.
Valentino, L. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Valiante, N.M., and Trinchieri, G. Identification of a novel signal transduction surface molecule on human cytotoxic lymphocytes. 1397.
— *See* D'Andrea, Aste-Amezaga, Valiante, Ma, Kubin, and Trinchieri.
Vallat, V.P. *See* Staiano-Coico, Krueger, Rubin, D'limi, Vallat, Valentino, Fahey, Hawes, Kingston, Madden, Mathwich, Gottlieb, and Aaronson.
Van den Eertwegh, A.J.M., Noelle, R.J., Roy, M., Shepherd, D.M., Aruffo, A., Ledbetter, J.A., Boersma, W.J.A., and Claassen, E. In vivo CD40-gp39 interactions are essential for thymus-dependent humoral immunity. I. In vivo expression of CD40 ligand, cytokines, and antibody production delineates sites of cognate T-B cell interactions. 1555.
van der Lugt, N.M.T. *See* Domen, van der Lugt, Acton, Laird, Linders, and Berns.
van Driel, I.R. *See* Alderuccio, Toh, Tan, Gleeson, and van Driel.
Van Ness, B. *See* Billadeau, Ahmann, Greipp, and Van Ness.
Vannier, E. *See* Tilg, Vannier, Vachino, Dinarello, and Mier.
Van Pel, A. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Van Riper, G. *See* Meurer, Van Riper, Feeney, Cunningham, Hora, Springer, MacIntyre, and Rosen.
van Rooijen, N. *See* Bette, Schäfer, van Rooijen, Weihe, and Fleischer.
Van Voorhis, W.C., Barrett, L., Koelling, R., and Farr, A.G. FL-160 proteins of *Trypanosoma cruzi* are expressed from a multigene family and contain two distinct epitopes that mimic nervous tissues. 681.
Vassalli, J.-D. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Vega, F., Jr. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.
Veiby, O.P. *See* Jacobsen, Veiby, Skjønsberg, and Jacobsen.
— *See* Jacobsen, Veiby, and Smeland.
Verma, S. *See* Galy, Verma, Bárcena, and Spits.
Viale, D. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
Vickers, P.J. *See* Woods, Evans, Etheir, Scott, Vickers, Hearn, Heibein, Charleson, and Singer.
Vignali, D.A.A. *See* Chicz, Urban, Gorga, Vignali, Lane, and Strominger.
Vilček, J. *See* Kamijo, Le, Shapiro, Havell, Huang, Aguet, Bosland, and Vilček.
Vitale, M. *See* Moretta, Vitale, Bottino, Orengo, Morelli, Auguglairo, Barbaresi, Ciccone, and Moretta.
Viteri, A. *See* Poon-King, Bannan, Viteri, Cu, and Zabriskie.
Vivier, E., Sorrell, J.M., Ackerly, M., Robertson, M.J., Rasmussen, R.A., Levine, H., and Anderson, P. Developmental regulation of a mucinlike glycoprotein selectively expressed on natural killer cells. 2023.
Vlassara, H. *See* Imani, Horii, Suthanthiran, Skolnik, Makita, Sharma, Sehajpal, and Vlassara.
Vodovotz, Y., Bogdan, C., Paik, J., Xie, Q.-w., and Nathan, C. Mechanisms of suppression of macrophage nitric oxide release by transforming growth factor β. 605.
Voena, C. *See* Corradini, Boccadoro, Voena, and Pileri.
Vogel, S.N. *See* Manthey, Qureshi, Stütz, and Vogel.
von Herrath, M.G. *See* Laufer, von Herrath, Grusby, Oldstone, and Glimcher.
Voorhees, J.J. *See* Bata-Csorgo, Hammerberg, Voorhees, and Cooper.

W

Wahl, S.M. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.
Wakatsuki, Y., and Strober, W. Effect of downregulation of germline transcripts on immunoglobulin A isotype differentiation. 129.
Walcheck, B., Watts, G., and Jutila, M.A. Bovine γ/δ T cells bind E-selectin via a novel glycoprotein receptor: first characterization of a lymphocyte/E-selectin interaction in an animal model. 853.
Waldschmidt, T.J. *See* Grabstein, Waldschmidt, Finkelman, Hess, Alpert, Boiani, Namen, and Morrissey.
Wallace, V.A. *See* Penninger, Neu, Timms, Wallace, Koh, Kishihara, Pummerer, and Mak.
Waller, E.K. *See* Kraft, Weissman, and Waller.
Wallner, B.P. *See* Miller, Hochman, Meier, Tizard, Bixler, Rosa, and Wallner.
Wang, C.-Y., Petryniak, B., Ho, I.-C., Thompson, C.B., and Leiden, J.M. Evolutionarily conserved Ets family members display distinct DNA binding specificities: Correction. 1133.

Wang, S. *See* Freeman, Borriello, Hodes, Reiser, Gribben, Ng, Kim, Goldberg, Hathcock, Laszlo, Lombard, Wang, Gray, Nadler, and Sharpe.
Ward, P.A. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
Warrier, R.R. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Watson, J.D. *See* Morrissey, Charrier, Braddy, Liggitt, and Watson.
Watts, C., and Lanzavecchia, A. Suppressive effect of antibody on processing of T cell epitopes. 1459.
Watts, G. *See* Walcheck, Watts, and Jutila.
Weaver, W.M. *See* Penix, Weaver, Pang, Young, and Wilson.
Wei, R.-Q. *See* Lin, Bolling, Linsley, Wei, Gordon, Thompson, and Turka.
Weigl, S.A. *See* Muller, Weigl, Deng, and Phillips.
Weigle, W.O. *See* Romball and Weigle.
Weihe, E. *See* Bette, Schäfer, van Rooijen, Weihe, and Fleischer.
Weiner, H.L. *See* Khoury, Sayegh, Hancock, Gallon, Carpenter, and Weiner.
Weiss, A. *See* Straus and Weiss.
Weissman, I.L. *See* Kraft, Weissman, and Waller.
Wen, S.-C. *See* Szczylik, Skorski, Ku, Nicolaides, Wen, Rudnicka, Bonati, Malaguarnera, and Calabretta.
Wen, Y. *See* Secrist, Chelen, Wen, Marshall, and Umetsu.
Weng, Y. *See* Appasamy, Kenniston, Weng, Holt, Kost, and Chambers.
Werner-Favre, C. *See* Matthes, Werner-Favre, Tang, Zhang, Kindler, and Zubler.
Wicker, L.S. *See* Podolin, Pressey, DeLarato, Fischer, Peterson, and Wicker.
Wiebel, F.A. *See* Burkhardt, Wiebel, Hester, and Argon.
Wiest, D.L., Yuan, L., Jefferson, J., Benveniste, P., Tsokos, M., Klausner, R.D., Glimcher, L.H., Samelson, L.E., and Singer, A. Regulation of T cell receptor expression in immature $CD4^+CD8^+$ thymocytes by $p56^{lck}$ tyrosine kinase: basis for differential signaling by CD4 and CD8 in immature thymocytes expressing both coreceptor molecules. 1701.
Williams, A.F. *See* Somoza, Driscoll, Cyster, and Williams.
Williams, D.A. *See* Moritz, Keller, and Williams.
Williams, D.E. *See* Matos, Schnier, Beecher, Ashman, Williams, and Caligiuri.
Williams, R.C., Jr. *See* Potter, Li, Pascual, Williams, Byres, Spellerberg, Stevenson, and Capra.
Wilson, A. *See* Fuller, Owens, Jagger, Wilson, Moss, and Chambers.
Wilson, C.B. *See* Penix, Weaver, Pang, Young, and Wilson.
Winslow, G.M. *See* Yazdanbakhsh, Park, Winslow, and Choi.
Wirth, S. *See* Ando, Moriyama, Guidotti, Wirth, Schreiber, Schlicht, Huang, and Chisari.
Wirthmueller, U. *See* Sarris, Broxmeyer, Wirthmueller, Karasavvas, Cooper, Lu, Krueger, and Ravetch.
Witt, C.S. *See* Christiansen, Witt, Ciccone, Townend, Pende, Viale, Abraham, Dawkins, and Moretta.
Wogensen, L., Huang, X., and Sarvetnick, N. Leukocyte extravasation into the pancreatic tissue in transgenic mice expressing interleukin 10 in the islets of Langerhans. 175.
Wolf, S.F. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Wölfel, C. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Wölfel, T. *See* Brichard, Van Pel, Wölfel, Wölfel, De Plaen, Lethé, Coulie, and Boon.
Wollenberg, A., de la Salle, H., Hanau, D., Liu, F.-T., and Bieber, T. Human keratinocytes release the endogenous β-galactoside-binding soluble lectin immunoglobulin E (IgE-binding protein) which binds to Langerhans cells where it modulates their binding capacity for IgE glycoforms. 777.
Woodrow, M., Clipstone, N.A., and Cantrell, D. $p21^{ras}$ and calcineurin synergize to regulate the nuclear factor of activated T cells. 1517.
Woods, J.W., Evans, J.F., Etheir, D., Scott, S., Vickers, P.J., Hearn, L., Heibein, J.A., Charleson, S., and Singer, I.I. 5-lipoxygenase and 5-lipoxygenase–activating protein are localized in the nuclear envelope of activated human leukocytes. 1935.
Worman, H.J. *See* Nickowitz and Worman.
Wraith, D.C. *See* Hoyne, O'Hehir, Wraith, Thomas, and Lamb.
Wright, R.B. *See* Brunda, Luistro, Warrier, Wright, Hubbard, Murphy, Wolf, and Gately.
Wu, G.E. *See* Pennycook, Chang, Celler, Phillips, and Wu.
Wu, J., Zhou, T., He, J., and Mountz, J.D. Autoimmune disease in mice due to integration of an endogenous retrovirus in an apoptosis gene. 461.
Wu, Y., Guo, Y., and Liu, Y. A major costimulatory molecule on antigen-presenting cells, CTLA4 ligand A, is distinct from B7. 1789.

X

Xiao, M. *See* Lu, Xiao, Clapp, Li, and Broxmeyer.
Xie, Q.-w. *See* McCartney-Francis, Allen, Mizel, Albina, Xie, Nathan, and Wahl.
— *See* Vodovotz, Bogdan, Paik, Xie, and Nathan.
Xu-Amano, J., Kiyono, H., Jackson, R.J., Staats, H.F., Fujihashi, K., Burrows, P.D., Elson, C.O., Pillai, S., and McGhee, J.R. Helper T cell subsets for immunoglobulin A responses: oral immunization with tetanus toxoid and cholera toxin as adjuvant selectively induces Th2 cells in mucosa associated tissues. 1309.

Y

Yamamura, K.-I. *See* Merino, Iwamoto, Fossati, Muniesa, Araki, Takahashi, Huarte, Yamamura, Vassalli, and Izui.
Yang, X., Gieni, R.S., Mosmann, T.R., and HayGlass, K.T. Chemically modified antigen preferentially elicits induction of Th1-like cytokine synthesis patterns in vivo. 349.
Yazdanbakhsh, K., Park, C.G., Winslow, G.M., and Choi, Y. Direct evidence for the role of COOH terminus of mouse mammary tumor virus superantigen in determining T cell receptor Vβ specificity. 737.
Yi, T. *See* English, Ihle, Myracle, and Yi.
Yockey, C.E. *See* Porcelli, Yockey, Brenner, and Balk.
Yokoyama, W. *See* Sykes, Harty, Karlhofer, Pearson, Szot, and Yokoyama.
Young, D.B. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Young, H.A. *See* Penix, Weaver, Pang, Young, and Wilson.
Young, J.F. *See* Stover, Bansal, Hanson, Burlein, Palaszynski, Young, Koenig, Young, Sadziene, and Barbour.
Young, J.W. *See* Bhardwaj, Young, Nisanian, Baggers, and Steinman.
Yuan, L. *See* Wiest, Yuan, Jefferson, Benveniste, Tsokos, Klausner, Glimcher, Samelson, and Singer.
Yuki, N., Taki, T., Inagaki, F., Kasama, T., Takahashi, M., Saito, K., Handa, S., and Miyatake, T. A bacterium lipopolysaccharide that elicits Guillain-Barré syndrome has a GM1 ganglioside-like structure. 1771.
Yunis, E.J. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.
Yunis, J.J. *See* Ahmed, Yunis, Marcus-Bagley, Yunis, Salazar, Katz, Awdeh, and Alper.

Z

Zabriskie, J.B. *See* Poon-King, Bannan, Viteri, Cu, and Zabriskie.
Zadeh, H.H., and Goldschneider, I. Demonstration of large-scale migration of cortical thymocytes to peripheral lymphoid tissues in cyclosporin A-treated rats. 285.
Zaghouani, H. *See* Brumeanu, Swiggard, Steinman, Bona, and Zaghouani.
Zhang, Q.-X. *See* Knight, Agnello, Bonagura, Barnes, Panka, and Zhang.
Zhang, X. *See* Matthes, Werner-Favre, Tang, Zhang, Kindler, and Zubler.
Zhao, T.M. *See* Sawasdikosol, Hague, Zhao, Bowers, Simpson, Robinson, and Kindt.
Zheng, Z.-l. *See* Mulligan, Lowe, Larsen, Paulson, Zheng, DeFrees, Maemura, Fukuda, and Ward.
Zhou, M., and Brown, E.J. Leukocyte response integrin and integrin-associated protein act as a signal transduction unit in generation of a phagocyte respiratory burst. 1165.
Zhou, T. *See* Wu, Zhou, He, and Mountz.
Ziegler, H.K. *See* Skeen and Ziegler.

Zipris, D. *See* Rapoport, Jaramillo, Zipris, Lazarus, Serreze, Leiter, Cyopick, Danska, and Delovitch.
Zöhrens, G. *See* Armbrust, Schwögler, Zöhrens, and Ramadori.
Zon, G. *See* Skorski, Kanakaraj, Nieborowska-Skorska, Ratajczak, Szczylik, Zon, Arlinghaus, Gewirtz, Perussia, and Calabretta.
Zubler, R.H. *See* Matthes, Werner-Favre, Tang, Zhang, Kindler, and Zubler.
Zucchini, P. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Zúñiga-Pflücker, J.C., Schwartz, H.L., and Lenardo, M.J. Gene transcription in differentiating immature T cell receptor^{neg} thymocytes resembles antigen-activated mature T cells. 1139.
Zupi, G. *See* Manfredini, Grande, Tagliafico, Barbieri, Zucchini, Citro, Zupi, Franceschi, Torelli, and Ferrari.
Zurawski, G. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.
Zurawski, S.M. *See* Aversa, Punnonen, Cocks, Malefyt, Vega, Zurawski, Zurawski, and de Vries.

Subject Index

Activated
  T cell nuclear factor NFAT 1517
Activation
  antigen lymphocyte CD69 human sequence 537
Acute
  inflammation E selectin sialylated oligo= saccharide 623
  phase protein interleukin 1beta 1629
Adhesin
  Dr binding decay accelerating factor 2115
Adhesion
  mol perforin T cell cytolysis 2225
  VLA 4 integrin alpha chain 649
Advanced
  glycosylation endproduct receptor lympho= cyte interferon 2165
Allergen
  house dust mite inhalation epitope 1783
  immunotherapy interleukin 4 T lympho= cyte 2123
Allergic
  encephalomyelitis nitric oxide spinal cord 643
Allergy
  CD44 leukocyte extravasation nonlym= phoid tissue 497
Alloantigen
  cytolytic T cell 835
  tolerance B7 ICAM 1 costimulation 1753
Allogeneic
  marrow transplant rejection CD8 lympho= cyte 703
Allograft
  heart MHC mismatched CTLA4Ig 1801
Amphiphysin
  breast cancer stiff man syndrome 2219
Anergy
  B7 intercellular adhesion mol alloantigen 1753
  T cell antigen presentation endothelium 1597
  T cell interleukin 4 diabetes 87
  T lymphocyte fetal TCR rearrangement 1713
Anhydroretinol
  lymphocyte proliferation activation inhib= ition 675
Antiarthritic
  nitric oxide synthase inhibitor 749
Antibody
  B cell activation CD40 antigen 1097
  class II antigen Theileria lymphocyte 769
  Fc receptor chimera ovary anticarcinoma 361
  monoclonal interleukin receptor natural killer 1103
  T lymphocyte epitope processing 1459
Anticarcinoma
  ovary antibody Fc receptor chimera 361
Antigen
  auto cDNA Golgi app 49
  B lymphocyte p21ras signaling 1765
  CD1d T cell intestine epithelium 1115
  CD14 neutrophil lipoxygenase arachido= nate lipopolysaccharide 1347
  CD2 signaling ligand avidity domain 1831
  CD23 CD40 B cell precursor 113
  CD28 helper lymphocyte interleukin 4 1645
  CD4 dendritic cell monokine 1067
  CD40 B cell activation antibody 1097
  CD40 humoral immunity helper lympho= cyte 1567
  CD58 interaction CD2 domain 549
  CD69 lymphocyte activation human se= quence 537
  CD8 beta subunit sequence rabbit 1337
  CD8 gene GATA3 site transcription 941
  class I Ld assembly expression 2035
  class II autoimmune diabetes 589
  class II spleen thymus peptide 2173
  class II Theileria T lymphocyte 769
  cloning human melanoma T lymphocyte 489
  differentiation JL1 cortical thymocyte 1447
  driven B cell differentiation 295
  endogenous histocompatibility class II presentation 73
  epitope presentation invariant chain 1453
  helper T cell cytokine 349
  histocompatibility gene astrocyte ganglio= side 1357
  histocompatibility Qa2 CD8 binding 2139
  HLA B27 inflammatory disease 1607
  HLA DR binding peptide promiscuity 27
  HLA Epstein Barr virus peptide 879
  HLA haplotype natural killer lymphocyte 1033
  HLA natural killer cytotoxicity tumor 1321
  HLADQ T cell celiac disease 187
  HSA T lympocyte differentiation 309
  H2D peptide binding motif 1877
  IE transgene lupus model 1189
  immune tolerance helper lymphocyte 1637
  Leu 13 complex B cell 1407
  LFA3 CD2 T cell 211
  Ly49 natural killer differentiation 223
  MHC IE diabetes insulitis 793
  MHC mammary tumor virus infection 1441
  MHC receptor p58 natural killer 597
  MHC thymocyte graft host reaction 805
  particulate Mycobacterium dendritic cell phagocytosis 479
  phagocytosis skin Langerhans cell 509
  presentation B cell dendritic cell 2055
  presentation endothelium T cell anergy 1597
  presentation immortalized dendritic cell 1893
  presentation invariant chain endosome signal 1959
  presenting cell CTLA4 ligand B7 1789
  processing determinant capture MHC diabetes 1675
  receptor B lymphocyte light chain 469
  receptor gene T cell subset 1
  receptor p59fynT kinase p130 phosphopro= tein 2107
  receptor rearrangement lymphopoiesis interleukin 7 2201
  receptor T cell signal transduction 1523
  self immunogenicity T cell repertoire 2131
  signal transduction cytotoxic lymphocyte surface 1397
  superantigen peptide MHC TCR receptor 713
  target tumor immunosurveillance T lym= phocyte 933
  Trypanosoma multigene nervous tissue mimicry 681
Antiinflammation
  soluble FcgammaRII receptor 1617
Antimetastasis
  antitumor interleukin 12 T lymphocyte 1223
Antitumor
  activity IP 10 1057
  antimetastasis interleukin 12 T lympho= cyte 1223
  colony stimulating factor polymorphonu= clear leukocyte 151
  gene therapy hsp 65 bacteria 343
  tumor necrosis factor 355
Apoptosis
  c fes gene granulocyte differentiation 381
  calcium thymocyte bcl2 gene 1745
  gene endogenous retrovirus integration autoimmunity 461
  T lymphocyte bcl 2 gene 427
  thymocyte TXA2 1825
AP1
  Elf1 site interleukin 3 gene 1681
Arachidonate
  lipoxygenase CD14 antigen neutrophil lipopolysaccharide 1347
Arthritis
  immune response nitric oxide 749
Assembly
  MHC class I heterodimer 1971
Astrocyte
  histocompatibility antigen gene ganglioside 1357
ATPase
  autoantigen T lymphocyte autoimmune gastritis 419
Auto
  antigen cDNA Golgi app 49
Autoantibody
  epitope glutamate decarboxylase stiff man 2097
  glycoprotein gp210 domain biliary cirrhosis 2237
Autoantigen
  ATPase T lymphocyte autoimmune gastri= tis 419
  golgi sequence human 49
  stiff man syndrome breast cancer 2219
Autocrine
  mast cell tumor interleukin 3 403
Autoimmune
  diabetes class II antigen 589
  disease T cell receptor lymphocyte 909
  encephalomyelitis myelin basic protein 559
  gastritis T lymphocyte ATPase autoanti= gen 419
  myocarditis CD4 CD8 T lymphocyte 1837
Autoimmunity
  determinant capture MHC class II 1675
  endogenous retrovirus integration apopto= sis gene 461
  Fas gene mRNA retrotransposon insertion 723
  SCID mouse CD4 T cell 237
B
  cell activation antibody CD40 antigen 1097
  cell antigen presentation dendritic cell 2055
  cell differentiation antigen 295
  cell differentiation interleukin 2 10 1473
  cell germinal center hydroxynitrophenyla= cetyl hapten 1293
  cell hematopoiesis Ig gamma2b transgene 2007
  cell Ig gene multiple myeloma 1091
  cell ontogeny Ig light chain 139
  cell precursor CD23 CD40 antigen 113
  cell precursor Ig gene rearrangement 1263
  cell proliferation interleukin 4 13 2213
  less immunodeficiency Ig gene rearrange= ment 317
  lymphocyte antigen p21ras signaling 1765
  lymphocyte antigen receptor light chain 469
  lymphocyte CD19 CD21 TAPA1 complex 1407
  lymphocyte cytokine mRNA kinetics 521
  lymphocyte differentiation gene expression 951
  lymphocyte neoplastic transformation virus interleukin 439
  lymphocyte peritoneum Ig VDJ recombi= nation 1981
  lymphocyte precursor pim 1 gene 1665
  lymphocyte progenitor bcl 2 gene 1247
  lymphocyte T cell CD40 ligand 1555
  lymphopoiesis interleukin 7 257
Bacteria
  infection toxin T lymphocyte 971
  toxin nitric oxide sepsis hypotension 337

Bcl
2 gene B lymphocyte progenitor 1247
2 gene T lymphocyte apoptosis 427
Bcl2
gene thymocyte calcium apoptosis 1745
BCR
glycoprotein surrogate light chain 469
Beige
mouse giant organelle endosome lysosome 1845
Beta
transforming growth factor stem cell 925
Biliary
cirrhosis autoantibody glycoprotein gp210 domain 2237
Biomaterial
inflammation fibrinogen 2147
Bone
marrow fibroblast cytokine cmyb 997
marrow prelymphocyte estrogen 1507
Borna
disease virus encephalopathy T lympho= cyte 163
Borrelia
recombinant vaccine Osp protein 755
Breast
cancer stiff man syndrome autoantigen 2219
B7
antigen B cell dendritic cell 2055
CTLA4 ligand antigen presenting cell 1789
ICAM 1 costimulation alloantigen toler= ance 1753
lymphopoiesis interleukin 2 T cell 2185
B72
CTLA4 counter receptor T lymphocyte 2185
C
fes gene apoptosis granulocyte differentia= tion 381
Calcineurin
cAMP interleukin 2 gene 1813
NFAT nuclear factor signal transduction 1517
Calcium
apoptosis thymocyte bcl2 gene 1745
cAMP
interleukin 2 gene calcineurin 1813
Campylobacter
lipopolysaccharide Guillain Barre GM1 ganglioside 1771
Cancer
immunity hsp70 protein assocd peptide 1391
ovary lysis lymphocyte chimeric gene 361
cDNA
auto antigen Golgi app 49
p22phox superoxide chronic granuloma= tous disease 2047
CD1d
antigen T cell intestine epithelium 1115
CD14
antigen neutrophil lipoxygenase arachido= nate lipopolysaccharide 1347
monocyte endotoxin endothelium activa= tion 2193
CD19
CD21 TAPA1 complex B lymphocyte 1407
CD2
antigen LFA3 T cell 211
antigen signaling ligand avidity domain 1831
domain CD58 antigen interaction 549
CD21
CD19 TAPA1 complex B lymphocyte 1407
CD23
CD40 antigen B cell precursor 113
CD28
antigen helper lymphocyte interleukin 4 1645
CD3
antigen phosphorylation ZAP70 kinase 1523
antigen TCR receptor p59fynT kinase 2107
epsilon TCR receptor beta thymocyte 1867
CD34
stem cell retrovirus gene transduction 2089
CD4
antigen dendritic cell monokine 1067
CD8 coreceptor signaling p56lck kinase 1701
CD8 T lymphocyte autoimmune myocardi= tis 1837
CD8 TCR receptor thymocyte apoptosis 1745
downregulation phorbol ester kinase p56lck 1209
T cell autoimmunity SCID mouse 237
T lymphocyte autoimmune diabetes 589
T lymphocyte interferon alpha gamma 1655
CD40
antigen B cell activation antibody 1097
antigen humoral immunity helper lympho= cyte 1567
CD23 antigen B cell precursor 113
gp39 ligand thymus humoral immunity 1555
ligand monocyte activation cytokine 669
CD44
leukocyte extravasation nonlymphoid tissue allergy 497
CD58
antigen interaction CD2 domain 549
CD69
lymphocyte activation antigen human sequence 537
CD8
antigen beta subunit sequence rabbit 1337
antigen gene GATA3 site transcription 941
binding histocompatibility antigen Qa2 2139
CD4 coreceptor signaling p56lck kinase 1701
CD4 T lymphocyte autoimmune myocardi= tis 1837
CD4 TCR receptor thymocyte apoptosis 1745
lymphocyte allogeneic marrow transplant rejection 703
Celiac
disease T cell antigen HLADQ 187
Cell
death programmed protease TCR receptor 1693
T CD4 autoimmunity SCID mouse 237
target virus 961
Cerebrospinal
fluid Listeria interleukin 10 1255
Chediak
Higashi giant organelle endosome lysosome 1845
Chimeric
gene lymphocyte lysis ovary cancer 361
Cholera
toxin IgA helper lymphocyte 1309
Chronic
granulomatous disease lymphocyte cyto= chrome superoxide 2047
Cirrhosis
biliary autoantibody glycoprotein gp210 domain 2237
Ckit
receptor natural killer cell 1079
Class
I antigen receptor natural killer 597
I Ld antigen assembly expression 2035
I MHC heterodimer folding assembly 1971
I MHC tumor immunosurveillance escape 933
II antigen autoimmune diabetes 589
II antigen graft host reaction 805
II antigen spleen thymus peptide 2173
II antigen Theileria T lymphocyte 769
II delivery virus peptide Ig 1795
II histocompatibility presentation endoge= nous antigen 73
II HLA class I domain 731
II HLA gene herpetiformis dermatitis 2067
II Ii antigen presentation endosome 1959
II MHC determinant capture autoimmuni= ty 1675
switch IgA germline transcript 129
switching IgG1 DNA rearrangement 1381
Cloning
antigen human melanoma T lymphocyte 489
Cmyb
fibroblast bone marrow cytokine 997
Coated
pit endosome sorting CD4 downregulation 1209
Colony
stimulating factor antitumor polymorpho= nuclear leukocyte 151
stimulating factor dendritic cell 1893
stimulating factor macrophage osteoclast 1733
Complement
activation IgG isotype specific 661
C1 esterase inhibitor Kupffer cell 373
C1q platelet integrin selectin procoagulant 579
decay accelerating factor Escherichia adhesin 2115
Cord
blood cell gene transfer target 529
Correction
MHC class II T lymphocyte 765
transcription factor Ets DNA binding 1133
tyrosine kinase p56lck thymocyte develop= ment 1135
Cortical
thymocyte JL1 differentiation antigen 1447
thymocyte migration lymphoid tissue cyclosporine 285
Counter
receptor CTLA4 B72 T lymphocyte 2185
Cross
idiotype human rheumatoid factor se= quence 1903
Crossreactive
idiotope Ig VH4 gene segment 1419
Cryptic
determinant lysozyme immunogenicity 2131
CTLA4
counter receptor B72 T lymphocyte 2185
ligand B7 antigen presenting cell 1789
CTLA4Ig
MHC mismatched heart allograft 1801
Cyclin
psoriasis hyperproliferative cell integrin keratin 1271
Cyclosporin
cortical thymocyte migration lymphoid tissue 285
sensitive element TNF gene human 1365
Cytochrome
chronic granulomatous disease lymphocyte superoxide 2047
Cytokine
CD40 monocyte activation 669
D factor endotoxemia 1085
fibroblast bone marrow cmyb 997
gene spleen superantigen 1531
helper T cell antigen 349
mRNA kinetics B lymphocyte 521
proinflammatory polymorphonuclear leukocyte interleukin 10 2207
RANTES eosinophil monocyte inflamma= tion 1913
T cell prepn Leishmania 101
Cytolysis
T cell adhesion mol perforin 2225
Cytolytic
T cell alloantigen 835
T lymphocyte transforming growth factor 841
Cytotoxic
lymphocyte interferon fulminant hepatitis 1541
lymphocyte perforin gene lpr mouse 2225
lymphocyte surface signal transduction antigen 1397
T lymphocyte melanoma TCR repertoire 1231
T lymphocyte Qa2 histocompatibility antigen 2139
Cytotoxicity
natural killer tumor HLA antigen 1321
C1
esterase inhibitor Kupffer cell 373
C1q
complement platelet integrin selectin procoagulant 579
D
factor cytokine endotoxemia 1085
Decarboxylase
glutamate epitope autoantibody stiff man 2097
Decay
accelerating factor binding Dr adhesin 2115
Dendritic
cell antigen presentation B cell 2055
cell immortalized antigen presentation 1893
cell monokine CD4 antigen 1067
cell phagocytosis Mycobacterium particu= late antigen 479
cell superantigen T lymphocyte activation 633

Dermatitis
herpetiformis HLA class II gene 2067
Dermatophagoides
allergen T lymphocyte epitope inhalation 1783
Determinant
capture MHC class II autoimmunity 1675
Diabetes
antigen processing determinant capture MHC 1675
autoimmune class II antigen 589
insulitis MHC antigen IE 793
interleukin 4 T cell anergy 87
Differentiation
antigen JL1 cortical thymocyte 1447
B cell antigen 295
B cell interleukin 2 10 1473
B lymphocyte gene expression 951
granulocyte c fes gene apoptosis 381
HL60 cell retinol metabolite 1995
human fetal thymocyte 265
lymphoid kit protein 1283
natural killer Ly49 antigen 223
T cell receptor thymocyte 309
DiGeorge
syndrome Ig VH gene 825
DNA
fragmentation thymocyte TXA2 1825
rearrangement class switching IgG1 1381
Dog
macrophage inflammatory protein 1alpha 1913
Double
neg lymphocyte TCR receptor gene 1
Dr
adhesin binding decay accelerating factor 2115
E
selectin acute inflammation sialylated oligosaccharide 623
Eicosatrienoate
diet neutrophil leukotriene B4 2261
Elf1
AP1 site interleukin 3 gene 1681
Embryo
endothelium FLT receptor tyrosine kinase 2077
Encephalomyelitis
allergic nitric oxide spinal cord 643
autoimmune myelin basic protein 559
Encephalopathy
Borna disease virus T lymphocyte 163
Endogenous
antigen histocompatibility class II presentation 73
retrovirus integration apoptosis gene autoimmunity 461
Endoplasmic
reticulum MHC folding assembly peptide 1971
Endosome
lysosome giant organelle Chediak Higashi 1845
signal invariant chain antigen presentation 1959
sorting coated pit CD4 downregulation 1209
Endothelium
activation endotoxin monocyte CD14 2193
antigen presentation T cell anergy 1597
embryo FLT receptor tyrosine kinase 2077
venule lymphocyte G protein 367
Endotoxemia
D factor cytokine 1085
Endotoxin
endothelium activation monocyte CD14 2193
Enteropathy
gluten herpetiformis dermatitis HLA gene 2067
Eosinophil
migration integrin beta1 activation 279
monocyte inflammation RANTES cytokine 1913
Epidermis
wound healing keratinocyte growth factor 865
Epithelium
intestine T cell CD1d antigen 1115
intestine T lymphocyte TCR repertoire 1947
Epitope
antigen presentation invariant chain 1453
glutamate decarboxylase autoantibody stiff man 2097
house dust mite allergen inhalation 1783
processing T lymphocyte antibody 1459
Epstein
Barr virus interleukin 10 transformation 439
Barr virus peptide HLA antigen 879
ERK2
kinase interleukin 2 1429
protein kinase p21ras TCR signaling 1199
Erythrocyte
binding protein Plasmodium 1497
Escherichia
adhesin complement decay accelerating factor 2115
Estrogen
prelymphocyte bone marrow 1507
Fas
gene mRNA autoimmunity retrotransposon insertion 723
gene signal transduction T lymphocyte 2231
Fc
receptor antibody chimera ovary anticarcinoma 361
FcgammaRII
receptor soluble antiinflammation 1617
Fetal
TCR rearrangement anergy T lymphocyte 1713
thymocyte human differentiation 265
Fibrinogen
inflammation biomaterial 2147
Fibroblast
bone marrow cytokine cmyb 997
FL
160 protein Trypanosoma sequence 681
FLT
receptor tyrosine kinase embryo endothelium 2077
Folding
assembly MHC class I heterodimer 1971
Fulminant
hepatitis cytotoxic lymphocyte interferon 1541
G
protein lymphocyte venule endothelium 367
protein p21ras NFAT nuclear factor 1517
Gamma
interferon gene promoter regulatory element 1483
Ganglioside
GM1 lipopolysaccharide Campylobacter Guillain Barre 1771
histocompatibility antigen gene astrocyte 1357
GAP
assocd protein phosphorylation T cell 1587
p120 hemopoiesis leukemia 1923
ras B cell signal transduction 1765
Gastritis
autoimmune T lymphocyte ATPase autoantigen 419
GATA3
site antigen CD8 gene transcription 941
Gene
antigen CD8 GATA3 site transcription 941
antigen receptor T cell subset 1
apoptosis endogenous retrovirus integration autoimmunity 461
bcl 2 B lymphocyte progenitor 1247
bcl 2 T lymphocyte apoptosis 427
bcl2 thymocyte calcium apoptosis 1745
c fes apoptosis granulocyte differentiation 381
chimeric lymphocyte lysis ovary cancer 361
cmyb cytokine fibroblast bone marrow 997
cytokine spleen superantigen 1531
diversity Ig heavy chain shark 815
expression B lymphocyte differentiation 951
Fas mRNA autoimmunity retrotransposon insertion 723
fas signal transduction T lymphocyte 2231
gamma interferon promoter regulatory element 1483
histocompatibility antigen astrocyte ganglioside 1357
HLA class II herpetiformis dermatitis 2067
Ig B cell multiple myeloma 1091
Ig rearrangement immunodeficiency B less 317
Ig rearrangement multiple myeloma lymphocyte 1023
Ig VDJ rearrangement SCID immunodeficiency 1007
Ig VH DiGeorge syndrome 825
IgA switch recombination germline transcript 129
interferon gamma tuberculosis 2243
interleukin 2 cAMP calcineurin 1813
interleukin 3 AP1 Elf1 site 1681
perforin cytotoxic lymphocyte lpr mouse 2225
pim 1 B lymphocyte precursor 1665
rearrangement heavy chain IgG2b transgene 2007
rearrangement Ig B cell precursor 1263
rearrangement Ig interleukin 4 5 1577
rearrangement receptor Vbeta6 T cell 1713
repertoire T cell receptor delta 121
segment VH4 Ig crossreactive idiotope 1419
sequence mouse Ig hydroxynitrophenylacetyl hapten 1293
TCR receptor alpha chain rearrangement 615
TCR receptor gamma interleukin 7 2201
therapy antitumor hsp 65 bacteria 343
therapy immunodeficiency disease 529
transcription immature thymocyte activation TCR 1139
transduction retrovirus CD34 stem cell 2089
tumor necrosis factor kappa3 element 1365
tyrosinase HLA A2 melanoma lymphocyte 489
tyrosine phosphatase PTP1C motheaten mutation 2157
Germinal
center B cell hydroxynitrophenylacetyl hapten 1293
Germline
Ig binding Staphylococcus protein A 331
transcript IgA class switch 129
GH
T cell thymus 231
Gliadin
recognition T cell antigen HLADQ 187
Globulin
tolerance helper T cell 1637
Glutamate
decarboxylase epitope autoantibody stiff man 2097
Glutaraldehyde
antigen helper lymphocyte cytokine 349
Gluten
enteropathy herpetiformis dermatitis HLA gene 2067
recognition T cell antigen HLADQ 187
Glycoprotein
BCR surrogate light chain 469
gp210 domain autoantibody biliary cirrhosis 2237
mucin PEN5 natural killer cell 2023
GM1
ganglioside lipopolysaccharide Campylobacter Guillain Barre 1771
Golgi
app auto antigen cDNA 49
autoantigen sequence human 49
Gp210
glycoprotein domain autoantibody biliary cirrhosis 2237
Gp39
ligand CD40 thymus humoral immunity 1555
Graft
host reaction thymocyte MHC antigen 805
Granulocyte
CSF tumor T cell interferon 151
differentiation c fes gene apoptosis 381
Growth
hormone thymus T cell 231
GTPase
activating protein phospholipase C lymphocyte 1587
Guillain
Barre Campylobacter lipopolysaccharide GM1 ganglioside 1771
Haplotype
HLA antigen natural killer lymphocyte 1033
Hapten
hydroxynitrophenylacetyl germinal center B cell 1293
Heart
allograft MHC mismatched CTLA4Ig 1801

Heat
shock protein 65 transfection tumor 343
Heavy
chain gene rearrangement IgG2b transgene 2007
Helper
lymphocyte CD28 antigen interleukin 4 1645
lymphocyte humoral immunity CD40 antigen 1567
lymphocyte IgA tetanus toxoid 1309
lymphocyte immune tolerance antigen 1637
T cell antigen cytokine 349
Hematopoiesis
interferon inducible protein 10 1127
interleukin 11 1175
T cell interleukin 7 257
Hematopoietic
cell proliferative potential ontogeny 787
cell thymocyte 901
progenitor cell interleukin 7 1777
stem cell interleukin 12 413
Hemopoiesis
p120 GAP leukemia 1923
Hepatitis
C T lymphocyte protein NS4 17
fulminant cytotoxic lymphocyte interferon 1541
Herpetiformis
dermatitis HLA class II gene 2067
Heterodimer
MHC class I folding assembly 1971
Heterodontus
Ig heavy chain gene diversity 815
Histocompatibility
antigen gene astrocyte ganglioside 1357
antigen Qa2 CD8 binding 2139
class II presentation endogenous antigen 73
complex major Borna disease 163
H2 lymphopoiesis Ly49 antigen 223
restriction T cell Leishmania prepn 101
HIV
infection monocyte macrophage interleukin 13 743
virus infection thymus microenvironment 1151
HLA
antigen Epstein Barr virus peptide 879
antigen haplotype natural killer lympho= cyte 1033
antigen natural killer cytotoxicity tumor 1321
A2 cytotoxic lymphocyte melanoma TCR 1231
A2 melanoma tyrosinase gene lymphocyte 489
B27 antigen inflammatory disease 1607
class II class I domain 731
class II gene herpetiformis dermatitis 2067
DR antigen binding peptide promiscuity 27
HL60
cell growth differentiation retinol metabo= lite 1995
House
dust mite allergen inhalation epitope 1783
Hsp
65 bacteria gene therapy antitumor 343
Hsp70
protein assocd peptide cancer immunity 1391
Human
CD34 stem cell retrovirus transformation 2089
fetal thymocyte differentiation 265
germline IgM sequence protein A 331
golgi autoantigen sequence 49
interleukin 3 gene upstream sequence 1681
lymphocyte activation antigen CD69 se= quence 537
melanoma cloning antigen T lymphocyte 489
rheumatoid factor cross idiotype sequence 1903
sequence cytotoxic lymphocyte melanoma TCR 1231
thymus T cell 391
TNF gene cyclosporin sensitive element 1365
Humoral
immunity CD40 antigen helper lymphocyte 1567
immunity CD40 gp39 ligand thymus 1555
immunity Mycobacterium membrane OspA lipoprotein 197
Hydroxynitrophenylacetyl
hapten germinal center B cell 1293
Hyperproliferative
cell psoriasis integrin keratin cyclin 1271
Hypotension
sepsis nitric oxide bacteria toxin 337
H2D
antigen peptide binding motif 1877
I
Ld class antigen assembly expression 2035
IAP
protein signal transduction respiratory burst 1165
retrovirus element interleukin 3 tumor 403
ICAM
1 B7 costimulation alloantigen tolerance 1753
IE
antigen transgene lupus model 1189
MHC antigen diabetes insulitis 793
Ig
alpha beta IgM signal transduction 1049
binding Staphylococcus protein A 331
crossreactive idiotope VH4 gene segment 1419
gene B cell multiple myeloma 1091
gene rearrangement B cell precursor 1263
gene rearrangement immunodeficiency B less 317
gene rearrangement interleukin 4 5 1577
gene rearrangement multiple myeloma lymphocyte 1023
gene sequence mouse hydroxynitropheny= lacetyl hapten 1293
heavy chain gene diversity shark 815
light chain B cell ontogeny 139
VDJ rearrangement severe combined immunodeficiency 1007
VDJ recombination peritoneum B lympho= cyte 1981
VH gene DiGeorge syndrome 825
virus peptide class II delivery 1795
class switch germline transcript 129
helper lymphocyte tetanus toxoid 1309
IgE
binding protein keratinocyte Langerhans cell 777
interleukin 4 13 2213
receptor lymphopoiesis CD40 antigen 113
regulation T lymphocyte 889
IgG
isotype specific complement activation 661
transforming growth factor complex lym= phocyte 841
IgG1
class switching DNA rearrangement 1381
IgG2b
transgene heavy chain gene rearrangement 2007
IgG4
interleukin 4 13 2213
IgM
germline sequence human protein A 331
signal transduction Ig alpha beta 1049
Ii
class II antigen presentation endosome 1959
Immature
thymocyte activation gene transcription TCR 1139
Immortalized
dendritic cell antigen presentation 1893
Immune
complex lung injury sialylated oligosac= charide 623
response arthritis nitric oxide 749
tolerance helper lymphocyte antigen 1637
Immunity
cancer hsp70 protein assocd peptide 1391
humoral CD40 antigen helper lymphocyte 1567
humoral CD40 gp39 ligand thymus 1555
humoral Mycobacterium membrane OspA lipoprotein 197
Immunodeficiency
B less Ig gene rearrangement 317
disease gene therapy 529
leaky severe combined Ig recombination 1981
severe combined Ig VDJ rearrangement 1007
Immunogenicity
lysozyme cryptic determinant 2131
Immunosurveillance
escape tumor class I MHC 933
Immunotherapy
allergen interleukin 4 T lymphocyte 2123
Inflammation
acute E selectin sialylated oligosaccharide 623
biomaterial fibrinogen 2147
eosinophil monocyte RANTES cytokine 1913
vascular adhesion protein 1 2255
Inflammatory
disease HLA B27 antigen 1607
Influenza
virus infection interferon gamma 1725
Inhalation
house dust mite allergen epitope 1783
Insulitis
diabetes MHC antigen IE 793
Integrin
beta1 activation eosinophil migration 279
leukocyte response phagocyte respiratory burst 1165
psoriasis hyperproliferative cell keratin cyclin 1271
selectin procoagulant platelet complement C1q 579
VLA 4 adhesion alpha chain 649
Intercellular
adhesion mol B7 anergy alloantigen 1753
Interferon
advanced glycosylation endproduct recep= tor lymphocyte 2165
alpha gamma CD4 T lymphocyte 1655
cytotoxic lymphocyte fulminant hepatitis 1541
C1 esterase inhibitor macrophage mono= cyte 373
gamma gene promoter regulatory element 1483
gamma gene tuberculosis 2243
gamma influenza virus infection 1725
gamma interleukin 10 12 1041
gamma Mycobacterium infection 2249
gamma natural killer Leishmania resist= ance 567
gamma receptor lipopolysaccharide Myco= bacterium infection 1435
inducible protein 10 hematopoiesis 1127
natural killer cell Toxoplasma 1465
T cell tumor granulocyte CSF 151
Interleukin
Listeria infection T lymphocyte 985
mRNA kinetics B cell 521
receptor monoclonal antibody natural killer 1103
1 receptor antagonist acute phase 1629
10 Epstein Barr virus transformation 439
10 leukocyte extravasation pancreas 175
10 macrophage Listeria meningitis 1255
10 proinflammatory cytokine polymorpho= nuclear leukocyte 2207
10 12 interferon gamma 1041
11 hematopoiesis myeloid leukemia 1175
12 antitumor antimetastasis T lymphocyte 1223
12 hematopoietic stem cell myelopoiesis 413
13 HIV infection monocyte macrophage 743
2 ERK2 kinase 1429
2 gene cAMP calcineurin 1813
2 lymphopoiesis T cell B7 2185
2 receptor alpha sequence rabbit 1337
2 steel factor natural killer 1079
2 10 B cell differentiation 1473
3 autocrine mast cell tumor 403
3 gene AP1 Elf1 site 1681
4 CD28 antigen helper lymphocyte 1645
4 T cell anergy diabetes 87
4 T lymphocyte allergen immunotherapy 2123
4 13 B cell proliferation 2213
4 5 Ig gene rearrangement 1577
7 B lymphopoiesis 257
7 keratinocyte 1109
7 myelopoiesis hematopoietic progenitor cell 1777
7 TCR receptor gamma gene 2201
8 eosinophil monocyte inflammation 1913
Intestine
epithelium T cell CD1d antigen 1115
epithelium T lymphocyte TCR repertoire 1947
Invariant
chain antigen epitope presentation 1453

chain endosome signal antigen presentation 1959
IP
10 antitumor activity 1057
IP10
cytokine hematopoiesis interferon 1127
Islet
Langerhans interleukin 10 leukocyte extravasation 175
Isotype
specific complement activation IgG 661
JL1
differentiation antigen cortical thymocyte 1447
Kappa3
element tumor necrosis factor gene 1365
Keratin
psoriasis hyperproliferative cell integrin cyclin 1271
Keratinocyte
growth factor epidermis wound healing 865
IgE binding protein Langerhans cell 777
interleukin 7 1109
Kinase
ERK2 interleukin 2 1429
protein ERK2 p21ras TCR signaling 1199
p56lck phorbol ester CD4 downregulation 1209
p56lck thymocyte development 245
p59fynT TCR receptor CD3 antigen 2107
tyrosine FLT receptor embryo endothelium 2077
tyrosine p56lck TCR receptor thymocyte 1701
tyrosine tumor necrosis factor macrophage 1017
ZAP70 CD3 antigen phosphorylation 1523
Kit
protein lymphoid differentiation 1283
Kupffer
cell complement C1 esterase inhibitor 373
Lactation
B lymphopoiesis 1507
Langerhans
cell keratinocyte IgE binding protein 777
cell skin antigen phagocytosis 509
islet interleukin 10 leukocyte extravasation 175
Ld
class I antigen assembly expression 2035
Leaky
severe combined immunodeficiency Ig recombination 1981
Lectin
superfamily antigen CD69 human sequence 537
Leishmania
histocompatibility restriction T cell prepn 101
resistance interferon gamma natural killer 567
Leu
13 antigen complex B cell 1407
Leukemia
B cell interleukin 2 receptor 1473
hemopoiesis p120 GAP 1923
inhibitory factor cytokine endotoxemia 1085
myeloid interleukin 11 1175
Leukocyte
adherence selectin pertussis toxin peptide 917
extravasation nonlymphoid tissue allergy CD44 497
extravasation pancreas interleukin 10 175
nucleus lipoxygenase activating protein 1935
polymorphonuclear colony stimulating factor antitumor 151
polymorphonuclear proinflammatory cytokine interleukin 10 2207
response integrin phagocyte respiratory burst 1165
transendothelial migration PECAM 1 449
Leukotriene
B4 neutrophil diet eicosatrienoate 2261
LFA3
antigen CD2 T cell 211
Ligand
avidity signaling domain antigen CD2 1831
CD40 helper T cell immunity 1567
CD40 monocyte activation cytokine 669
Light
chain B lymphocyte antigen receptor 469
Lipopolysaccharide
Campylobacter Guillain Barre GM1 ganglioside 1771
interleukin 8 10 polymorphonuclear leukocyte 2207
Mycobacterium infection interferon gamma receptor 1435
neutrophil lipoxygenase arachidonate CD14 antigen 1347
signal transduction taxol macrophage microtubule 695
Lipoprotein
OspA membrane Mycobacterium humoral immunity 197
Lipoxygenase
activating protein nucleus leukocyte 1935
arachidonate CD14 antigen neutrophil lipopolysaccharide 1347
Listeria
infection T lymphocyte interleukin 985
meningitis macrophage interleukin 10 1255
Liver
lymphocyte hepatitis virus nonstructural protein 17
Lpr
mouse cytotoxic lymphocyte perforin gene 2225
Lung
injury immune complex sialylated oligosaccharide 623
Lupus
model transgene IE antigen 1189
Lyme
disease vaccine Borrelia Osp protein 755
disease vaccine OspA lipoprotein Mycobacterium 197
Lymphocyte
activation antigen CD69 human sequence 537
advanced glycosylation endproduct receptor interferon 2165
B antigen p21ras signaling 1765
B antigen receptor light chain 469
B bcl 2 gene 1247
B CD19 CD21 TAPA1 complex 1407
B cytokine mRNA kinetics 521
B differentiation gene expression 951
B neoplastic transformation virus interleukin 439
B peritoneum Ig VDJ recombination 1981
B precursor pim 1 gene 1665
B T cell CD40 ligand 1555
CD8 allogeneic marrow transplant rejection 703
chimeric gene lysis ovary cancer 361
cytochrome chronic granulomatous disease superoxide 2047
cytotoxic interferon fulminant hepatitis 1541
cytotoxic perforin gene lpr mouse 2225
cytotoxic surface signal transduction antigen 1397
cytotoxic T melanoma TCR repertoire 1231
double neg TCR receptor gene 1
helper CD28 antigen interleukin 4 1645
helper cytokine glutaraldehyde antigen 349
helper humoral immunity CD40 antigen 1567
helper IgA tetanus toxoid 1309
helper immune tolerance antigen 1637
Ig gene rearrangement multiple myeloma 1023
IgG transforming growth factor complex 841
natural killer cell surface protein 1121
natural killer HLA antigen haplotype 1033
ontogeny Ig light chain rearrangement 139
phospholipase C GTPase activating protein 1587
proliferation activation inhibition anhydroretinol 675
T activation superantigen dendritic cell 633
T anergy fetal TCR rearrangement 1713
T antigen CD8 gene transcription 941
T antigen HSA differentiation 309
T antigen target tumor immunosurveillance 933
T antitumor antimetastasis interleukin 12 1223
T apoptosis bcl 2 gene 427
T autoimmune gastritis ATPase autoantigen 419
T Borna disease virus encephalopathy 163
T B72 CTLA4 counter receptor 2185
T CD4 autoimmune diabetes 589
T CD4 CD8 autoimmune myocarditis 1837
T CD4 interferon alpha gamma 1655
T cell receptor autoimmune disease 909
T cytotoxic Qa2 histocompatibility antigen 2139
T epitope inhalation Dermatophagoides allergen 1783
T epitope processing antibody 1459
T gamma delta receptor toxin 971
T IgE regulation 889
T interleukin Listeria infection 985
T interleukin 3 gene 1681
T interleukin 4 allergen immunotherapy 2123
T intestine epithelium TCR repertoire 1947
T Leishmania resistance interferon gamma 567
T lineage natural killer thymocyte 1857
T protein NS4 hepatitis C 17
T selectin binding receptor 853
T signal transduction fas gene 2231
T TCRgammadelta receptor virus sequence 1819
T Theileria class II antigen 769
tyrosinase gene HLA A2 melanoma 489
venule endothelium G protein 367
Lymphoid
differentiation kit protein 1283
tissue cortical thymocyte migration cyclosporine 285
Lymphopoiesis
antigen receptor rearrangement interleukin 7 2201
B interleukin 7 257
B pregnancy lactation 1507
histocompatibility H2 Ly49 antigen 223
IgE receptor CD40 antigen 113
interleukin 2 T cell B7 2185
kit protein 1283
Lysis
ovary cancer lymphocyte chimeric gene 361
Lysosome
endosome giant organelle Chediak Higashi 1845
Lysozyme
cryptic determinant immunogenicity 2131
Ly49
antigen natural killer differentiation 223
Macrophage
colony stimulating factor osteoclast 1733
HIV infection interleukin 13 743
inflammatory protein 1alpha dog 1913
inflammatory protein 1alpha neutrophil 63
interleukin 10 Listeria meningitis 1255
monocyte C1 esterase inhibitor interferon 373
nitric oxide transforming growth factor 605
taxol microtubule lipopolysaccharide signal transduction 695
tumor necrosis factor tyrosine kinase 1017
Major
histocompatibility complex Borna disease 163
Mammary
tumor virus superantigen T cell 1441
tumor virus superantigen TCR Vbeta 737
Mannose
receptor phagocytosis skin Langerhans cell 509
Marrow
precursor spondyloarthropathy HLA B27 antigen 1607
transplant rejection allogeneic CD8 lymphocyte 703
Mast
cell tumor autocrine interleukin 3 403
Melanoma
cytotoxic T lymphocyte TCR repertoire 1231
HLA A2 tyrosinase gene lymphocyte 489
Membrane
OspA lipoprotein Mycobacterium humoral immunity 197

Memory
T cell bcl 2 gene 427
Meningitis
Listeria macrophage interleukin 10 1255
Metastasis
tumor necrosis factor 355
Methylarginine
antiarthritic nitric oxide synthase inhibitor 749
MHC
antigen B cell dendritic cell 2055
antigen IE diabetes insulitis 793
antigen mammary tumor virus infection 1441
antigen receptor p58 natural killer 597
antigen thymocyte graft host reaction 805
class I heterodimer folding assembly 1971
class I tumor immunosurveillance escape 933
class II determinant capture autoimmunity 1675
class II T lymphocyte correction 765
mismatched heart allograft CTLA4Ig 1801
peptide antigen superantigen TCR receptor 713
Microtubule
taxol macrophage lipopolysaccharide signal transduction 695
Mimicry
nervous tissue Trypanosoma antigen multigene 681
Monoclonal
antibody interleukin receptor natural killer 1103
Monocyte
activation CD40 ligand 669
CD14 endotoxin endothelium activation 2193
chemoattractant protein inflammation 1913
HIV infection interleukin 13 743
macrophage C1 esterase inhibitor interferon 373
Monokine
dendritic cell CD4 antigen 1067
Motheaten
mutation tyrosine phosphatase PTP1C gene 2157
Mouse
beige giant organelle endosome lysosome 1845
Ig gene rearrangement PCR 317
Ig gene sequence hydroxynitrophenylacetyl hapten 1293
lpr cytotoxic lymphocyte perforin gene 2225
SCID autoimmunity CD4 T cell 237
mRNA
cytokine kinetics B lymphocyte 521
Fas gene autoimmunity retrotransposon insertion 723
Mucin
glycoprotein PEN5 natural killer cell 2023
Multigene
Trypanosoma antigen nervous tissue mimicry 681
Multiple
myeloma B cell Ig gene 1091
myeloma lymphocyte Ig gene rearrangement 1023
Mutation
r otheaten tyrosine phosphatase PTP1C gene 2157
Mycobacterium
infection interferon gamma 2249
infection lipopolysaccharide interferon gamma receptor 1435
membrane OspA lipoprotein humoral immunity 197
particulate antigen dendritic cell phagocytosis 479
Myelin
basic protein autoimmune encephalomyelitis 559
Myeloid
leukemia interleukin 11 1175
Myeloma
lymphocyte Ig gene rearrangement 1023
Myelopoiesis
hematopoietic stem cell interleukin 12 413
interleukin 7 1777
Myocarditis
autoimmune CD4 CD8 T 1837
Natural
killer cell ckit receptor 1079
killer cell interferon Toxoplasma 1465
killer cell mucin glycoprotein PEN5 2023
killer cytotoxicity tumor HLA antigen 1321
killer differentiation Ly49 antigen 223
killer interferon gamma Leishmania resistance 567
killer interleukin receptor monoclonal antibody 1103
killer lymphocyte cell surface protein 1121
killer lymphocyte HLA antigen haplotype 1033
killer p58 receptor MHC antigen 597
killer thymocyte T lymphocyte lineage 1857
Neoplastic
transformation B lymphocyte virus interleukin 439
Nephritis
plasmin binding protein streptococci 759
Nephritogenic
Streptococcus plasmin binding protein 759
Nervous
tissue mimicry Trypanosoma antigen multigene 681
Neutrophil
interleukin 1beta interleukin 10 2207
leukotriene B4 diet eicosatrienoate 2261
lipoxygenase arachidonate CD14 antigen lipopolysaccharide 1347
macrophage inflammatory protein 1alpha 63
NFAT
nuclear factor p21ras G protein 1517
Nitric
oxide arthritis immune response 749
oxide macrophage transforming growth factor 605
oxide sepsis hypotension bacteria toxin 337
oxide spinal cord allergic encephalomyelitis 643
Nonlymphoid
tissue leukocyte extravasation allergy CD44 497
Nonstructural
protein hepatitis virus liver lymphocyte 17
NS4
protein hepatitis C T lymphocyte 17
Nuclear
factor NFAT p21ras G protein 1517
Nucleus
leukocyte lipoxygenase activating protein 1935
Oligosaccharide
sialylated immune complex lung injury 623
Ontogeny
B cell Ig light chain 139
proliferative potential hematopoietic cell 787
Organelle
giant endosome lysosome Chediak Higashi 1845
Osp
protein recombinant vaccine Borrelia 755
lipoprotein membrane Mycobacterium humoral immunity 197
Osteoclast
macrophage colony stimulating factor 1733
Ovary
cancer lysis lymphocyte chimeric gene 361
P
selectin platelet activation complement C1q 579
Pancreas
extravasation leukocyte interleukin 10 175
Particulate
antigen Mycobacterium dendritic cell phagocytosis 479
PCR
Ig gene rearrangement mouse 317
PECAM
1 leukocyte transendothelial migration 449
PEN5
mucin glycoprotein natural killer cell 2023
Peptide
antigen superantigen MHC TCR receptor 713
binding motif H2D antigen 1877
endoplasmic reticulum MHC folding assembly 1971
Epstein Barr virus HLA antigen 879
hsp70 protein assocd cancer immunity 1391
promiscuity HLA DR antigen binding 27
spleen thymus class II antigen 2173
virus class II delivery Ig 1795
Perforin
adhesion mol T cell cytolysis 2225
Peritoneum
B lymphocyte Ig VDJ recombination 1981
Pertussis
toxin peptide leukocyte adherence selectin 917
PGE2
interleukin 2 gene calcineurin 1813
Phagocyte
respiratory burst leukocyte response integrin 1165
Phagocytosis
antigen skin Langerhans cell 509
dendritic cell Mycobacterium particulate antigen 479
Phorbol
ester CD4 downregulation kinase p56lck 1209
Phosphatase
tyrosine PTP1C gene motheaten mutation 2157
Phospholipase
C GTPase activating protein lymphocyte 1587
Phosphorylation
CD3 antigen ZAP70 kinase 1523
GAP assocd protein T cell 1587
Pim
1 gene B lymphocyte precursor 1665
Plasmin
binding protein nephritogenic Streptococcus 759
Plasmodium
protein erythrocyte binding 1497
Platelet
complement C1q integrin selectin procoagulant 579
Polyethylene
terephthalate inflammation 2147
Polymorphonuclear
leukocyte colony stimulating factor antitumor 151
leukocyte proinflammatory cytokine interleukin 10 2207
Precursor
B cell CD23 CD40 antigen 113
B cell Ig gene rearrangement 1263
Pregnancy
B lymphopoiesis 1507
Prelymphocyte
bone marrow estrogen 1507
PRL
T cell thymus 231
Procoagulant
integrin selectin platelet complement C1q 579
Progenitor
B lymphocyte bcl 2 gene 1247
Programmed
cell death TCR receptor protease 1693
Proinflammatory
cytokine polymorphonuclear leukocyte interleukin 10 2207
Prolactin
thymus T cell 231
Proliferation
B cell interleukin 4 13 2213
Proliferative
potential hematopoietic cell ontogeny 787
Promoter
regulatory element interferon gamma gene 1483
Protease
TCR receptor programmed cell death 1693
Protein
A Staphylococcus germline Ig binding 331
acute phase interleukin 1beta 1629
cell surface natural killer lymphocyte 1121
erythrocyte binding Plasmodium 1497
GAP assocd phosphorylation T cell 1587
heat shock 65 transfection tumor 343
hsp70 assocd peptide cancer immunity 1391
IAP signal transduction respiratory burst

1165
IgE binding keratinocyte Langerhans cell 777
interferon inducible 10 hematopoiesis 1127
kinase ERK2 p21ras TCR signaling 1199
kit lymphoid differentiation 1283
lipoxygenase activating nucleus leukocyte 1935
NS4 T lymphocyte hepatitis C 17
Osp recombinant vaccine Borrelia 755
plasmin binding nephritogenic Streptococcus 759
vascular adhesion inflammation 2255
Psoriasis
hyperproliferative cell integrin keratin cyclin 1271
PTP1C
tyrosine phosphatase gene motheaten mutation 2157
P120
GAP hemopoiesis leukemia 1923
P21ras
G protein NFAT nuclear factor 1517
signaling antigen B lymphocyte 1765
TCR protein kinase ERK2 signaling 1199
P22phox
cDNA superoxide chronic granulomatous disease 2047
P56lck
kinase phorbol ester CD4 downregulation 1209
tyrosine kinase TCR receptor thymocyte 1701
tyrosine kinase thymocyte development 245
P58
receptor MHC antigen natural killer 597
P59fynT
kinase TCR receptor CD3 antigen 2107
Qa2
histocompatibility antigen CD8 binding 2139
Rabbit
TCR receptor gamma subunit sequence 1337
RANTES
cytokine eosinophil monocyte inflammation 1913
Ras
GAP B cell signal transduction 1765
Rearrangement
antigen receptor lymphopoiesis interleukin 7 2201
DNA class switching IgG1 1381
gene Ig B cell precursor 1263
heavy chain gene IgG2b transgene 2007
Ig gene immunodeficiency B less 317
Ig gene interleukin 4 5 1577
Ig light chain lymphocyte ontogeny 139
TCR fetal anergy T lymphocyte 1713
TCR receptor alpha chain gene 615
Receptor
advanced glycosylation endproduct lymphocyte interferon 2165
antagonist interleukin 1 acute phase 1629
antigen B lymphocyte light chain 469
antigen gene T cell subset 1
antigen T cell signal transduction 1523
ckit natural killer cell 1079
delta gene repertoire T cell 121
Fc antibody chimera ovary anticarcinoma 361
FcgammaRII soluble antiinflammation 1617
gamma delta T lymphocyte toxin 971
IgE lymphopoiesis CD40 antigen 113
interferon gamma lipopolysaccharide Mycobacterium infection 1435
interleukin monoclonal antibody natural killer 1103
interleukin 2 B cell leukemia 1473
mannose phagocytosis skin Langerhans cell 509
MHC antigen p58 natural killer 597
T cell lymphocyte autoimmune disease 909
T lymphocyte selectin binding 853
TCR alpha chain gene rearrangement 615
TCR beta CD3 epsilon thymocyte 1867
TCR CD3 antigen p59fynT kinase 2107
TCR CD8 CD4 thymocyte apoptosis 1745
TCR clonotype alpha chain transgenosis 1807
TCR gamma gene interleukin 7 2201
TCR gamma subunit sequence rabbit 1337
TCR MHC peptide antigen superantigen 713
TCR programmed cell death protease 1693
TCR thymocyte p56lck tyrosine kinase 1701
TCRgammadelta T lymphocyte virus sequence 1819
tyrosine kinase FLT embryo endothelium 2077
Vbeta6 T cell gene rearrangement 1713
Recombinant
vaccine Borrelia Osp protein 755
Recombination
Ig VDJ peritoneum B lymphocyte 1981
switch IgA gene germline transcript 129
Repertoire
T cell self antigen immunogenicity 2131
Respiratory
burst phagocyte leukocyte response integrin 1165
Retinol
metabolite HL60 cell growth differentiation 1995
Retrotransposon
insertion Fas gene mRNA autoimmunity 723
Retrovirus
element IAP interleukin 3 tumor 403
endogenous integration apoptosis gene autoimmunity 461
gene transduction CD34 stem cell 2089
Rheumatoid
factor cross idiotype sequence human 1903
SCID
mouse autoimmunity CD4 T cell 237
Selectin
binding T lymphocyte receptor 853
E acute inflammation sialylated oligosaccharide 623
integrin procoagulant platelet complement C1q 579
leukocyte adherence pertussis toxin peptide 917
Sepsis
hypotension nitric oxide bacteria toxin 337
Sequence
cytotoxic lymphocyte melanoma TCR human 1231
germline IgM human protein A 331
golgi autoantigen human 49
human interleukin 3 gene upstream 1681
human rheumatoid factor cross idiotype 1903
lymphocyte activation antigen CD69 human 537
mouse Ig gene hydroxynitrophenylacetyl hapten 1293
TCR receptor delta subunit rabbit 1337
Trypanosoma FL 160 protein 681
virus TCRgammadelta receptor T lymphocyte 1819
Severe
combined immunodeficiency Ig recombination 1981
combined immunodeficiency Ig VDJ rearrangement 1007
Shark
Ig heavy chain gene diversity 815
Shock
heat protein 65 transfection tumor 343
Sialylated
oligosaccharide immune complex lung injury 623
Signal
endosome invariant chain antigen presentation 1959
transduction antigen cytotoxic lymphocyte surface 1397
transduction calcineurin NFAT nuclear factor 1517
transduction IgM Ig alpha beta 1049
transduction inhibition anhydroretinol lymphocyte 675
transduction lipopolysaccharide taxol macrophage microtubule 695
transduction ras GAP B cell 1765
transduction respiratory burst IAP protein 1165
transduction T cell antigen receptor 1523
transduction T lymphocyte fas gene 2231
Signaling
CD4 CD8 coreceptor p56lck kinase 1701
ligand avidity domain antigen CD2 1831
p21ras antigen B lymphocyte 1765
p21ras TCR protein kinase ERK2 1199
Skin
Langerhans cell antigen phagocytosis 509
Soluble
FcgammaRII receptor antiinflammation 1617
Spinal
cord nitric oxide allergic encephalomyelitis 643
Spleen
cytokine gene superantigen 1531
thymus class II antigen peptide 2173
Spondyloarthropathy
HLA B27 antigen marrow precursor 1607
Staphylococcus
protein A germline Ig binding 331
Steel
factor interleukin 2 natural killer 1079
Stem
cell beta transforming growth factor 925
cell CD34 retrovirus gene transduction 2089
Stiff
man epitope glutamate decarboxylase autoantibody 2097
man syndrome breast cancer autoantigen 2219
Streptococci
nephritis plasmin binding protein 759
Streptococcus
nephritogenic plasmin binding protein 759
Superantigen
antigen peptide MHC TCR receptor 713
cytokine gene spleen 1531
dendritic cell T lymphocyte activation 633
mammary tumor virus T cell 1441
mammary tumor virus TCR Vbeta 737
Superoxide
cytochrome chronic granulomatous disease lymphocyte 2047
Surface
cytotoxic lymphocyte signal transduction antigen 1397
Surrogate
light chain glycoprotein BCR 469
Switch
recombination IgA gene germline transcript 129
Synthase
nitric oxide inhibitor antiarthritic 749
T
cell anergy antigen presentation endothelium 1597
cell anergy interleukin 4 diabetes 87
cell antigen HLADQ celiac disease 187
cell antigen receptor signal transduction 1523
cell B lymphocyte CD40 ligand 1555
cell CD4 autoimmunity SCID mouse 237
cell cytolysis adhesion mol perforin 2225
cell cytolytic alloantigen 835
cell helper antigen cytokine 349
cell helper immunity ligand CD40 1567
cell helper tolerance globulin 1637
cell hematopoiesis interleukin 7 257
cell histocompatibility restriction Leishmania prepn 101
cell interferon tumor granulocyte CSF 151
cell intestine epithelium CD1d antigen 1115
cell LFA3 antigen CD2 211
cell mammary tumor virus superantigen 1441
cell phosphorylation GAP assocd protein 1587
cell receptor delta gene repertoire 121
cell receptor lymphocyte autoimmune disease 909
cell receptor thymocyte differentiation 309
cell repertoire self antigen immunogenicity 2131
cell signal NFAT p21ras calcineurin 1517
cell subset antigen receptor gene 1
cell thymus PRL GH 231
cytolytic lymphocyte transforming growth factor 841
lymphocyte activation superantigen dendritic cell 633
lymphocyte anergy fetal TCR rearrangement 1713
lymphocyte antigen CD8 gene transcription 941
lymphocyte antigen target tumor immunosurveillance 933
lymphocyte antitumor antimetastasis interleukin 12 1223

lymphocyte apoptosis bcl 2 gene 427
lymphocyte autoimmune gastritis ATPase autoantigen 419
lymphocyte Borna disease virus encephalopathy 163
lymphocyte B72 CTLA4 counter receptor 2185
lymphocyte CD4 autoimmune diabetes 589
lymphocyte CD4 CD8 autoimmune myocarditis 1837
lymphocyte CD4 interferon alpha gamma 1655
lymphocyte cloning antigen human melanoma 489
lymphocyte cytotoxic Qa2 histocompatibility antigen 2139
lymphocyte epitope inhalation Dermatophagoides allergen 1783
lymphocyte epitope processing antibody 1459
lymphocyte gamma delta receptor toxin 971
lymphocyte IgE regulation 889
lymphocyte interleukin Listeria infection 985
lymphocyte interleukin 3 gene 1681
lymphocyte interleukin 4 allergen immunotherapy 2123
lymphocyte intestine epithelium TCR repertoire 1947
lymphocyte Leishmania resistance interferon gamma 567
lymphocyte lineage natural killer thymocyte 1857
lymphocyte protein NS4 hepatitis C 17
lymphocyte selectin binding receptor 853
lymphocyte signal transduction fas gene 2231
lymphocyte TCRgammadelta receptor virus sequence 1819
lymphocyte Theileria class II antigen 769
lymphotropic virus lymphocyte antigen receptor 1337
TAPA1
CD19 CD21 complex B lymphocyte 1407
Target
cell virus 961
Taxol
macrophage microtubule lipopolysaccharide signal transduction 695
TCR
gene transcription immature thymocyte activation 1139
p21ras protein kinase ERK2 signaling 1199
rearrangement fetal anergy T lymphocyte 1713
receptor alpha chain gene rearrangement 615
receptor beta CD3 epsilon thymocyte 1867
receptor CD3 antigen p59fynT kinase 2107
receptor CD8 CD4 thymocyte apoptosis 1745
receptor clonotype alpha chain transgenosis 1807
receptor gamma gene interleukin 7 2201
receptor gamma subunit sequence rabbit 1337
receptor gene double neg lymphocyte 1
receptor MHC peptide antigen superantigen 713
receptor programmed cell death protease 1693
receptor thymocyte p56lck tyrosine kinase 1701
repertoire intestine epithelium T lymphocyte 1947
repertoire melanoma cytotoxic T lymphocyte 1231
Vbeta mammary tumor virus superantigen 737
TCRgammadelta
receptor T lymphocyte virus sequence 1819
Tetanus
toxoid helper lymphocyte IgA 1309
Theileria
T lymphocyte class II antigen 769
Thymocyte
anergy interleukin 4 diabetes 87
apoptosis DNA fragmentation TXA2 1825
calcium apoptosis bcl2 gene 1745
cortical JL1 differentiation antigen 1447
development tyrosine kinase p56lck 245
hematopoietic cell 901
human fetal differentiation 265
immature activation gene transcription TCR 1139
MHC antigen graft host reaction 805
migration lymphoid tissue cyclosporine 285
natural killer T lymphocyte lineage 1857
T cell receptor differentiation 309
TCR alpha chain gene rearrangement 615
TCR receptor beta CD3 epsilon 1867
TCR receptor p56lck tyrosine kinase 1701
Thymus
CD40 gp39 ligand humoral immunity 1555
human T cell 391
microenvironment HIV virus infection 1151
spleen class II antigen peptide 2173
T cell PRL GH 231
Tissue
injury advanced glycosylation endproduct receptor 2165
TNF
gene human cyclosporin sensitive element 1365
Tolerance
alloantigen B7 ICAM 1 costimulation 1753
Toxin
bacteria nitric oxide sepsis hypotension 337
cholera IgA helper lymphocyte 1309
pertussis peptide leukocyte adherence selectin 917
T lymphocyte gamma delta receptor 971
Toxoid
tetanus helper lymphocyte IgA 1309
Toxoplasma
natural killer cell interferon 1465
Transcript
germline IgA class switch 129
Transcription
antigen CD8 gene GATA3 site 941
factor Ets DNA binding correction 1133
gene immature thymocyte activation TCR 1139
Transduction
retrovirus gene CD34 stem cell 2089
Transendothelial
migration leukocyte PECAM 1 449
Transfection
tumor heat shock protein 65 343
Transformation
Epstein Barr virus interleukin 10 439
retrovirus human CD34 stem cell 2089
Transforming
growth factor IgG complex lymphocyte 841
growth factor macrophage nitric oxide 605
growth factor mRNA B cell 521
growth factor stem cell 925
Transgene
IE antigen lupus model 1189
IgG2b heavy chain gene rearrangement 2007
Transgenosis
TCR receptor clonotype alpha chain 1807
Transplant
marrow rejection allogeneic CD8 lymphocyte 703
Trypanosoma
antigen multigene nervous tissue mimicry 681
Tuberculosis
interferon gamma 2249
interferon gamma gene 2243
Tumor
cytotoxicity natural killer HLA antigen 1321
granulocyte CSF T cell interferon 151
immunosurveillance escape class I MHC 933
mast cell autocrine interleukin 3 403
necrosis factor gene kappa3 element 1365
necrosis factor leukocyte interleukin 10 2207
necrosis factor macrophage tyrosine kinase 1017
necrosis factor metastasis 355
necrosis factor mRNA B cell 521
transfection heat shock protein 65 343
TXA2
thymocyte apoptosis DNA fragmentation 1825
Tyrosinase
gene HLA A2 melanoma lymphocyte 489
Tyrosine
kinase FLT receptor embryo endothelium 2077
kinase p56lck TCR receptor thymocyte 1701
kinase p56lck thymocyte development 245
kinase p56lck thymocyte development correction 1135
kinase tumor necrosis factor macrophage 1017
phosphatase PTP1C gene motheaten mutation 2157
Vaccine
Lyme disease OspA lipoprotein Mycobacterium 197
recombinant Borrelia Osp protein 755
VAP
1 protein inflammation 2255
Vascular
adhesion protein 1 inflammation 2255
Vbeta
TCR mammary tumor virus superantigen 737
Venule
endothelium lymphocyte G protein 367
VH4
gene segment Ig crossreactive idiotope 1419
Virus
Borna disease encephalopathy T lymphocyte 163
Epstein Barr interleukin 10 transformation 439
Epstein Barr peptide HLA antigen 879
hepatitis nonstructural protein liver lymphocyte 17
HIV infection thymus microenvironment 1151
influenza infection interferon gamma 1725
mammary tumor infection MHC antigen 1441
mammary tumor superantigen TCR Vbeta 737
peptide class II delivery Ig 1795
sequence TCRgammadelta receptor T lymphocyte 1819
T lymphotropic lymphocyte antigen receptor 1337
target cell 961
VLA
4 integrin adhesion alpha chain 649
Wound
healing epidermis keratinocyte growth factor 865
ZAP70
kinase CD3 antigen phosphorylation 1523